



**SELECTION INDUSTRY
AND TECHNICAL SECTORS
2026**



DISCOVER OUR LATEST INNOVATIONS AND NEW PRODUCTS



DISCOVER OUR SELECTION OF INNOVATIVE PRODUCTS FOR WORKING SAFELY AT HEIGHT  **MONDELIN**

FRENCH MANUFACTURER

CONTENTS

WORKSHOP EQUIPMENT AND STORAGE

Building chest	7
COCKPIT tool trolley and compositions.....	8 - 11
Modules with tools for tool trolleys	12 - 13
XLINER - PROLINER - CLASSIC tools trolleys	14 - 15
Tool trolleys with compositions.....	16 - 18
Workbenches	19
B'UP textile storage and compositions.....	20 - 23
Textile storage	24 - 28
Empty and filled tool boxes.....	29
Multi-tool cases	30 - 33

RATCHETS AND SOCKETS

1/4" socket set - MINIMAX	6
FAST ratchets and other ratchets.....	34 - 35
1/2" articulated handle.....	36
Box sets and socket racks 1/4" - 1/2" - 3/4"	34 - 40

CONTROLLED CLAMPING

INITIAL torque wrenches	41
-------------------------------	----

FIXED- AND VARIABLE-OPENING WRENCHES

Combination wrenches and ratchet wrenches	42 - 44
ADAPT'BOX	44
Open-end wrenches.....	45
Self-adjusting ratchet wrenches.....	46
Scaffolding key.....	46
Adjustable wrenches	47

SCREWDRIVER BITS

2-in-1 screwdriver handle	48
Screwdriver bits	48 - 51

SCREWDRIVERS AND BOLT WRENCHES

UNO and REDGRIP screwdrivers	52
MICRO precision screwdriver.....	53
Magnetic male keys S2 - CRV - PROTANIUM	53 - 54

PLIERS, SHEARS AND BOLT CUTTERS

FORTISSIMO and stacking pliers.....	55
Pliers - Vice clamps	56
Bolt cutters with forged arms and tube arms.....	57

SAWING, CUTTING

METALCUT metal saw - cutter - shears - pliers	58
---	----

JOINT CUTTERS

Set of interchangeable joint cutters.....	59
---	----

HAMMERS AND STRIKING TOOLS

Riveting hammers with CARBON handles - Hickory - Ash - Protect	60 - 61
DUO hammers.....	61
CARBON sledgehammer.....	62
Double hardness mallet.....	62
Chisels and pin-chasers.....	63

FILES

File set - Needle files	63
-------------------------------	----

GENERAL MAINTENANCE

POWER BAR	64
Vices	65
Damaged screw set - Magnetic square.....	66
Impact screwdriver - Riveting pliers	67
PROTECH mat.....	68
Telescopic Mirror - Magnetic Tray - FASTER Ratchet Strap	68
Measures - Magnetic level - Caliper - Square	69
Extractors	70 - 71
SLIMLED, FIXLED, and Mini LED lamps.....	71 - 72

ELECTRICAL MAINTENANCE

Trolley case.....	73
DUOBAG 53 pieces.....	74
Insulated stripping pliers 1000V	74
Plastic collar clip.....	75
Scissors - Knife - Electrical cable cutter	75
Multifunction electrician's scissors - knife	76
Crimping pliers	77
Wire strippers	78 - 79
Crimping plier kit.....	80

PLUMBING MAINTENANCE

Stillson wrenches - Pipe cutters - Compact adjustable wrenches	81
DUOBAG plumbing.....	82
Load lifter.....	83
Fitter's table	84

MONDELIN EQUIPEMENTS

MODUL'AIR platform.....	88 - 89
PIRL secured stepladders	90 - 91
NINJA platform	92
Stepladders	93
Workbench and trestles	94
Flash light	95
Hand truck and SWIFT platforms.....	96



SET 1/4" MINIMAX

P.6



MULTI-GRIP PLIERS WITH TAPERED TIPS

P.55



ADJUSTABLE WRENCH RATCHET EFFECT

P.47



1/2" ARTICULATED HANDLE

P.36



COMPACT RATCHET 1/4"

P.34



EXTRACTORS



NEW PRODUCTS AND INNOVATIONS



MULTI-PURPOSE CRIMPING TOOL SET

P.80



MULTIFUNCTION ELECTRICIAN'S SCISSORS

P.76



IMPACT SCREWDRIVER

P.67



P.77



MINI LAMP

P.72



P.78

Innovation is at the heart of the **MOB** brand identity. Each **new product development** is based on essential, necessary and indispensable criteria to ensure **comfort, safety and reliability** during your maintenance operations.

THE MOST POPULAR PRODUCTS

Quickly and easily find **the products most commonly used** in the world of industrial maintenance: mechanical, electrical, piping...

MOBEST



COMFORT WITH FREE MOVEMENT

P.68



P.56



P.19



P.64

THE POWER MADE IN FRANCE



P.58



P.38

EXCLUSIVE AND PATENTED



P.47



P.30



P.43

12 PC COMBINATION WRENCH SET



P.46

MAGNETIC HEX WRENCHES



P.53



P.49



P.60



P.28

BAGS WITH TOOLS



MOB IN 5 KEY POINTS

ANCESTRAL KNOW-HOW COMBINED WITH NEW TECHNOLOGIES



A CENTENNIAL FRENCH BRAND

With 105 years' experience, **MOB** designs and manufactures hand tools for professional users in industry and technical sectors. Its core range is built around storage solutions, ratchets and sockets, wrenches, screwdrivers... all essential products for industrial maintenance. **MOB** stands out for its expertise in steel, plastics, wood and sheet metal.



A FAMILY STORY

With 4 successive generations at the head of the brand, **MOB** is not only a family story, but also a human adventure rich in values and commitments. From the first hammers to the latest innovations manufactured in France, **MOB** is the tool expert reference, combined with the demands of technicians, leads to successful maintenance operations.



A COMPLETE INDUSTRIAL KNOW-HOW

MOB combines its ancestral blacksmithing know-how with modern technologies to offer a range of innovative, reliable and durable tools. Products are developed in close collaboration with valued partners who use hand tools on a daily basis. Great importance is attached to design, to create tools that are pleasant to use.



A BRAND THAT LISTENS TO ITS USERS


Particular attention is paid to users. **MOB** listens to its customers and adapts its products according to their feedback. The tools developed by the R&D department are perfectly suited to the needs encountered during installation operations, and ensure safe maintenance missions.

AN EMBLEMATIC TOOL: THE RIVOIR HAMMER

MOB is Europe's leading manufacturer of industrial hammers. The hammer - which has always been manufactured at Le Chambon-Feugerolles - takes a central place in the brand's history.

It's robust, simple, practical, it's MOB!

Olivier
Mold maker in the Loire region





MOB knows how to evolve over time. The Made in France is important, and it means quality.

Eric
Maintenance technician (42)

INTERNATIONAL MINDSET

A BRAND DISTRIBUTED IN 70 COUNTRIES

MOB has 2 subsidiaries - one in **Romania** and one in **Germany** - and a sales office in Spain.

MOB exports worldwide adapting and meeting needs of professional users.

3 FACTORIES IN EUROPE

EVERY YEAR, MORE THAN 2,500,000 DELIVERED PRODUCTS

Mob is part of the **Novalia** group, which employs nearly **400 people** in **Europe**, divided between factories, head office, logistics center subsidiaries and sales office.

MOB is committed to industrial relocation to ensure the control and transfer of know-know in Europe.

MOB has 3 manufacturing plants in Europe:
2 in **France**: Le Chambon-Feugerolles and Ambierle,
1 in **Romania**: Brasov.





TOTAL GARANTEE ENSURING RELIABLE AND ROBUST TOOLS

GUARANTEE



Reliability is a key parameter of **MOB** brand as well as ergonomy and quality.

All our tools are covered by the **legal guarantee** under article 1648 of the French Civil Code, which protects users against hidden defects and manufacturing faults.

To complement this legal guarantee, **MOB** offers several levels of warranty, ranging from **5 to 30 years**, and **one level with no time limit**.

Our legal guarantee of conformity and ISO 9001 certification underlines our commitment to quality.

RESPONSIBILITY AND SUSTAINABLE DEVELOPMENT

COMMITTED TO PEOPLE AND THE ENVIRONMENT

MOB has always stood for strong values. We have a role to play in building a society that is more respectful of **people and our environment**.

In our factories we make sure to reduce our environmental impact and to set high safety standards to protect our people. **MOB** products with PEFC/FSC® certification guarantee responsible management of the world's forests.

92% of our plant suppliers are located in France and 98% in the European Union.

MOB's Ecovadis rating has risen since 2020 thanks to actions taken in three main areas: **Environment, Social & Human Rights, Ethics and Responsible Purchasing**.

As part of its commitment to **gender equality**, **MOB** regularly reviews its situation according to official index criteria.





NONSPARKING TOOLS

ENSURING SAFE WORKING

MOB offers a range of non sparking products with 2 types of alloys:

- **COPPER-BERYLLIUM** alloy (Cu-Be 25), a safe alloy for non-magnetic applications thanks to the absence of ferric substances, with strength properties superior to other Copper-Beryllium grades.


- **ALUMINIUM-BRONZE** alloy (Al-Brz), an alloy with minimal ferrous content for non-critical non-magnetic applications.

These products are particularly recommended for use in **explosive atmospheres** (ATEX) of all risk levels (permanent, frequent or simply occasional), with gas (ATEX zone 0 to 2, category 1 to 3) and/or dust (ATEX type 20 to 22).

MOB products comply with the requirements of EN 1127-1 (2008 edition), EN 13463-1 (2007 edition) and EN 13463-5.

Mob tools enable me to respond quickly and effectively in the field !

Yannick Truchet
Maintenance technician (42).



MOB PRODUCT OFFER

ALL THE POWER, RELIABILITY AND PRECISION OF MOB TOOLS IN YOUR EVERY MOVE

3,500 references in the general catalog.

2,000 references in the explosion-proof tools catalog.



NOVELTY

1/4" MINIMAX BOX

MINIMAX

Take it with you wherever you go!
39 tools in a minimal space for SCREWING,
TIGHTENING, LIGHTING, and MEASURING

COMPACT

Fits in your hand
Easily stored in a metal toolbox
or slips easily into a pocket
Dimensions of closed case:
15 x 8 x 4.8 cm



THE PROBLADE KNIFE
AND ITS SHEATH **OFFERED**



9412039001

COMFORT


The screwdriver bits automatically straighten up when the case is opened.
The screwdriver bits can be easily removed by tilting them.
Screwdriver bits with colored rings.
Quick identification of the correct locations to put the tools back in the case.
The case opens 180°.

RESISTANCE

100% recyclable plastic case reinforced to withstand accidental impacts.

SECURITY

Closing and opening system with a secure button.
No risk of accidental opening.



BOX CONTENTS

20X 25 MM BITS

S2 silicon steel offers better resistance and superior hardness compared to CrV steels.



x3 Slotted : 4,5-6,5-8

x3 Phillips : PH1-PH2-PH3

x3 Pozidriv : PZ1-PZ2-PZ3

x5 Hexagonal : H3-H4-H5-H6-H7

x6 Tamper torx : TT10-TT15-TT20-TT25-TT30-TT40

NEW ULTRA-COMPACT 1/4" RATCHET

ULTRA-COMPACT
to facilitate access to nuts
(see details on page 34)



1 REDGRIP 2-IN-1 HANDLE

screwdriver bit holder
and socket holder (see details on page 48).



LIGHTING Mini LED lamp

Rechargeable mini LED lamp with multiple lighting zones and multiple intensities
(see details on page 72). + USB cable



x10 - 5,5-6-7-8-9-10-11-12-13-14 mm

x1

x1

x1

x2 50-125 mm

x1

BUILDING CHEST **NOVELTY**



ROBUST
100% MADE IN FRANCE



Registered design

SUSTAINABILITY

The sheet metal has an innovative and more effective surface treatment with a zinc coating (2 layers). This provides an anti-rust effect (inside and outside the box).

Textured paint for greater resistance to scratches and impacts. The flight case-style handles have a maximum lifespan and are non-protruding. They are very comfortable to grip thanks to the sleeves that increase the grip diameter.

COMFORT

Hinge with integrated, non-protruding stop: longer service life.
Lid opens to 95°: easier access to the inside of the box.
Recessed handles: no risk of damage from accidental impacts.
Handles with plastic covers and a diameter of 15 mm for greater comfort when carrying the loaded box.
Internal tray made of recycled PP copolymer plastic: lighter and more resistant to impacts and extreme conditions.
The tray is equipped with 3 removable dividers. 4 possible configurations (from 1 to 4 compartments).

Sliding tray with rounded corners.
Dimensions: 280 x 235 x 55 mm



Rounded shape



Recessed flight case handles



(Delivered without padlock)



SECURITY

Non-protruding locking system: No risk of damage from accidental impact with padlocks (not included)



Volume (L)	Number of trays	Dimensions mm	Ref.
48,5	1	550 x 300 x 300	9594010001
80,7	2	670 x 350 x 350	9594020001
102	2	850 x 350 x 350	9594030001



INNOVATION

COCKPIT TOOL TROLLEY

COCKPIT THE UNFOLDING TOOL TROLLEY



THE COCKPIT DIFFERS FROM ITS COMPETITORS IN **3 MAJOR WAYS**, OFFERING YOU AN OPEN-PLAN WORKSPACE WITH EVERYTHING WITHIN EASY REACH, JUST LIKE IN A COCKPIT.



1 AREA MULTIPLIED-0.63 M²

Double the work surface thanks to a real secondary work surface.



2 ACCESSIBILITY AND STABILITY

Drawers with side opening and anti-tilt system.



3 PRACTICE

20 screwdriver slots in the secondary plane, secured when the cabinet is closed.



INOX

THE MAIN TRAY IS IN TEXTURED STAINLESS STEEL. A must for impact, scratch and corrosion resistance.



THE COCKPIT REINVENTS THE CARGO HOLD: accessible, with good visibility and can be fitted out with an optional storage bin.



SIDE BUMPERS protection.



ELECTRIFICATION OPTION
Allows you to recharge your electrical equipment when the unit is closed.



Flash this code to see the cockpit tool trolley in action!



COCKPIT TOOL TROLLEY

Side-opening trolley with door
2 work surfaces, 0.83 m²
Anti-tip device 3 open drawers, up to 20 kg per drawer
Stainless steel tray
Side bumpers
3 drawers containing 4 single modules
90 L storage compartment
Padlock included
Tested to 1 ton static load.
Dimensions when closed: 1055 x 465 mm
Dimensions when open: 1500 x 1060 mm
Height: 975 mm

9527000301



VICE SUPPORT

For 100 mm vise
See vices and bases on page 65

9513180501




ACCESSORIES FOR COCKPIT TOOL TROLLEY

4 WORKTOP DIVIDERS

2 rails and 4 dividers removable

9513180301



WOODEN TRAY

Covers stainless steel tray
Dimensions: 790x400x25 mm

9513180401



KIT ELECTRICAL TRAP DOOR WITH MULTI-SOCKET

Allows reloading while the tool trolley is closed.
External hatch
16A multi-socket
4 type E (FR) sockets with switch
1.5 m screw-in cable
Dimensions : 360x285x90 mm

9513180101



COCKPIT CARGO BOX

Allows you to fit out your hold
Fits over the edges
inside along entire length.
Width of 2 units

9513180201



CODE LOCK

4 numbers

9605010001





INNOVATION

COCKPIT TOOL TROLLEY FITTED

COCKPIT 190 TOOLS SET **MECHANICAL MAINTENANCE TROLLEY** **10 FOAM UNITS**

With 4 dividers
+ electrical socket kit
(details p.7)



9527190301



With DUO and FAST

20 screwdrivers stored in the secondary compartment



Slotted : 3,0x0,5x50-3,5x0,6x75-4,0x0,8x100-5,5x1x125-5,5x1,0x150-6,5x1,2x150-8x1,2x200
Tamper Torx : TT10-TT15-TT20-TT25-T27-T30
PH/PZ : PH0-PH1-PH2-PH2 court / PZ1-PZ2-PZ3

Drawer



17 combination wrenches : 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22-24 mm
13 6x6 socket wrenches : 7-8-9-10-11-12-13-14-15-16-17-18-19 mm
23 pieces 1/2 : 1 FAST ratchet 1/2- 18 sockets: 8-9-10-11-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm- 1 sliding handle- 1 joint-2 extension bars 125 and 250 mm
59 pieces 1/4 : 1 FAST ratchet 1/4 13 sockets : 3,2 to 14 mm-1 sliding handle- 1 joint 2 extension bars 50 and 125- 9 hex wrenches- 30 screwdriver bits- 1 grip handle- 1 bit holder sleeve

Drawer



7 hex wrenches with T-handle : 2,5-3 mm non spherical 4-5-6-8-10 mm spherical
7 hex wrenches with T-handle torx : T9-T10-T15-T20-T25-T30-T40
4 circlip pliers 19-60 : 1 straight internal-1 90° internal- 1 straight external- 1 90° external
2 pliers : Locking pliers with long jaws -water pump pliers
2 bimaterial pliers : Diagonal cutting 160 mm-half-round jaws 170 mm

Drawer



Striking tools :
DUO hammer 40 mm - workshop ruler 200 mm- Nylon tip - 4 punches sets 3, 4, 5, 6 and 8 mm carbide plotter- Chisel 200 mm- Centre punch 6 mm
Cutting tools (triple module triple) : 1 metalcut hacksaw- 5xHSS000 saw blades- 1 cutter 18 mm + 10 blades- 1 measurement 3 m- 1 carbide plotter with clip- 1 stainless steel workshop ruler 200 mm
5 x 200 mm files : 1 flat hand bastard, 1 half-round half-soft, 1 triangular half-soft, 1 half-soft square, 1 round half-soft

COCKPIT TOOL TROLLEY FITTED

INNOVATION

COCKPIT 206 TOOLS SET ELECTROMECHANICAL MAINTENANCE TROLLEY 11 THERMOFORMED UNITS



9527206301

20 screwdrivers stored in the secondary compartment



Drawer

1



Drawer

2



Drawer

3



Slotted : Testeur 3x0,8x135

Insulated : 2,5x0,4x75-3,5x0,6x75-4x0,8x100-5,5x1x125

Bimaterial : 6,5x1,2x150-8x1,2x200

Torx : T10-T15-T20-T25-T30-T40

PH/PZ : PH0-PH2-PH2 short / PZ1-PZ2 isolated: PH1-PH2 - isolated PH1 - PH2

16 combination wrenches : 6-7-8-9-10-11-12-13-14-15-16-17-18-19-22-24 mm

10 6x6 socket wrenches : 8-10-11-12-13-14-16-17-18-19 mm

61 pieces 1/4 : 13 sockets: 32 to 14 mm- 1 sliding handle- 1 ratchet 1/4 joint- 2 extension bars - 9 hex wrenches - 30 screwdriver bits- 1 screwdriver bit holder- 1 bit holder sleeve- 1 socket holder

23 pieces 1/2 : 17 sockets: 10 to 22-24-27-30-32 mm- 1 sliding bar 1 ratchet 1/2-1 joint -2 extension bars 125 and 250-1 adapter

4 insulated pliers 1000 V : Universal 180 mm- diagonal cutting 180 mm- wire stripper 160 mm half-round jaws 200 mm

Crimping and cutting

Crimping pliers + all-purpose shears + 1 box of 30 terminals

Wrench and pliers :

Adjustable wrench 200 mm + water pump pliers 240mm

4 circlips pliers 19-60 : straight internal- 1 internal 90° - 1 straight external -1 external 90°

Striking tools : 1 engineer's hammer 32 mm -1 plastic-tipped mallet 32

1 engineer cold chisel 200mm- 1 centre punch 6 mm- 3 pin punches 4, 5 et 6- 1 workshop ruler 20 cm 1 carbide plotter

5 200 mm bimaterial files : 1 flat hand bastard -1 half-round half-soft - 1 half-soft square-1 triangular half-soft,-1 round half-soft

Cutting and measuring :

Cutter 18 mm-10 blades of 18 mm- 1 measurement de 3 m - 1 metalcut hacksaw- 5xHSS000 saw blades



WORKSHOP EQUIPMENT AND STORAGE

Thermoformed units : L385 x l165 x H50 mm



954400500
5 combination wrenches
22-24-27-30-32 mm



9547012001
12 combination wrenches : 8-9-10-11-12-13-14-16-17-18-19-22 mm



9547016001
16 combination wrenches : 6-7-8-9-10-11-12-13-14-15-16-17-18-19-22-24 mm



9548012001
12 ratcheting combination wrenches : 8-9-10-11-12-13-14-15-16-17-18-19 mm



9545009001
9 open-end wrenches: 6x7-8x9-10x11-12x13 -14x15-16x18-17x19-20x22-22x24 mm



9565010001
10 offset socket wrenches 6x6 : 8-10-11-12-13-14-16-17-18-19 mm-Also available in 6 x 12-9565010101



9566003101
3 chromed adjustable wrenches: 200 mm-250 mm-300 mm



9550002301
Adjustable wrench 200 mm + water pump pliers 240mm



9550002201
Locking pliers with long jaws - needle-nose pliers 240 mm bimaterial handle



9551004101
4 bimaterial pliers: Universal 180 mm + diagonal cutting 180 mm - Flat jaws 170 mm - Half-round jaws 170 mm



9551004201
4 circlip pliers 19-60 : 1 internal straight -1 internal 90° + 1 external straight-1 external 90°



9549007601
7 screwdrivers: 1 insulated electrician 4x100-1 voltage tester -5 micros 2-2.5-3 mm-PH0-PH1



9549007101
7 screwdrivers (slotted + PZ) : 3.5x100-4x100-5.5x125 6.5x150-8x150 with screw PZ1-PZ2



9549007001
7 screwdrivers (slotted + PH) : 3.5x100-4x100-5.5x125 6.5x150-8x150 with screw PH1-PH2



9549007401
7 screwdrivers (slotted) : 2.5x75-3.5x100-4x100 4x150-5.5x150-5.5x125 - 6.5x150



9549007501
7 screwdrivers (PH + PZ) : PH0-PH1-PH2 PZ0-PZ1-PZ2 8x150 with screw



9549007201
7 screwdrivers TORX : T8-T10-T15-T20 T25-T30-T40



9551004401
4 insulated pliers 1000 V : Universal 180 mm-Diagonal cutting 180 mm- wire stripper 160 mm- Half-round jaws 200 mm



9549007301
7 insulated screwdrivers 1000 V : 3.5x75-4x100-5.5x125-6.5x150-PH1-PZ1-PZ2



9550003001
Crimping pliers + All-purpose shears + 1 box of 30 terminals



9553005001
5 bimaterial files of 200 mm
1 flat hand bastard
1 half-round half-soft 1 half-soft square
1 triangular half-soft
1 round half-soft



9552009001
Striking tools : 1 engineer's hammer 32 1 plastic-tipped mallet 32 1 chisel of 200- 1 centre punch 6 3 pin punch 4, 5 and 6 - 1 workshop ruler of 20 cm - 1 carbide plotter



9562023001
23 square pieces 1/2 : 17 sockets: 10 to 22-24-27-30-32 mm-1 sliding bar - 1 ratchet 1/2-1 joint -2 extension bars 125 and 250-1 adapter



9561061001
61 square pieces 1/4 : 13 sockets: 3,2 à 14 mm-1 sliding handle-1 ratchet 1/4 - 1 joint-2 extension bars -9 hex wrenches -30 screwdriver bits-1 screwdriver bit holder- 1 bit holder sleeve-1 socket holder



9541038001
9 hex wrenches -1 ratchet -10 sockets 5,5 to 14 mm-1 universal joint -2 extension bars ¼ 50mm and 125 mm-1 sliding handle
1 handle with sliding drive-13 screwdriver bits + socket handle



9558018001
Sawing, measuring : Cutter 18 mm-10 blades of 18 mm-measurement de 3 m - 1 metalcut hacksaw- 5xHSS000 saw blades



9540000001
Empty module



Don't forget ...
CUSHIONING MODULE THERMO
for Proliner

9554000201



Foam units : L385 x l165 x H30 mm



9801005001
5 combination wrenches :
27-28-29-30-32 mm



9802013001
13 offset socket wrenches 6x6 :
7-8-9-10-11-12-13-14-15-16-
17-18-19 mm



9826004001
Locking pliers with long jaws
- water pump pliers
2 bimaterial pliers :
diagonal cutting 160 mm - Half-
round jaws 170 mm



9806007001
7 screwdrivers (Tamper Torx) :
TT10-TT15-TT20-TT25
TT27-TT30-TT40



9825011001
DUO hammer 40 mm - workshop
ruler 200 mm-Nylon tip -4 punches
sets 3, 4, 5, 6 et 8 mm - 1 carbide
plotter-Chisel 200 mm-centre punch
6 mm



9803059001
59 square pieces 1/4 : 1 FAST ratchet 1/4
13 sockets : 3,2 to 14 mm-1 sliding handle-1
joint - 2 extension bars 50 and 125- 9 hex
wrenches- 30 screwdriver bits- 1 grip
handle- 1 bit holder sleeve

Don't forget ...
**CUSHIONING MODULE
FOAM**



Foam for Proliner
Foam for Classic

Ref.
9554000301
9554000601




9819012001
12 combination wrenches :
6-7-8-9-10-11-13-14-17-18-
19-21 mm



9807002001
Locking pliers with long jaws
+ needle-nose pliers 240 mm
bimaterial handle



9823003001
3 insulated pliers 1000 V :
universal 180 mm-diagonal cutting
160 mm-wire stripper 160 mm



9824007001
6 insulated screwdrivers 1000 V :
3.5x75-4x100-5.5x125-6.5x150
PH1-PH-1 voltage testor



0770000101
INTEX
Universal pullers 2/3
reversible claws 2 tons/5 tons



9804023001
23 square pieces 1/2 : 1 FAST ratchet 1/2-
18 sockets: 8-9-10-11-12-13-14-15-16-17-18-19-
21-22-24-27-30-32 mm- 1 sliding handle- 1
joint- 2 extension bars 125 and 250 mm



9800017001
17 combination wrenches : 6-7-8-9-
10-11-12-13-14-15-16-17-18-19-21-
22-24 mm



9808003001
3 bimaterial pliers : Universal 180
mm-diagonal cutting 160 mm-Half-
round jaws 170 mm




9805008001
8 screwdrivers (slotted +PH) : 2.5x75
-3.5x100-4x100-5.5x125-6.5x150
-8x150 with screw -PH1-PH2



9812007001
Striking tools : 1 32 hickory rivet -1
mallet with 32 plastic tips-1 chisel
200-1 centre punch 6-3 pin punches 4,
5 and 6



9820007001
7 hex T wrenches :
2.5-3 mm non-spherical
4-5-6-8-10 mm spherical



9822008001
8 hex T-wrenches with sockets (
double module) :
6-7-8-10-11-12-13-14 mm



9814000001
Empty module



9811010001
10 combination wrenches with
ratchet : 8-10-11-12-13-14-16-
17-18-19 mm




9809004001
4 circlip pliers 19-60 :
1 internal straight -1 internal 90° -
1 external straight-1 external 90°



9805008101
8 screwdrivers (slotted +PZ) : 2.5x75-
3.5x100-4x100-5.5x125-6.5x150
8x150 with screw -PZ1- PZ2



9813007001
Striking tools : 1 Carbon 40 rivet
-1 mallet with plastic tips 32-1 chisel
200-1 centre punch 6- 3 pin punches
4, 5 and 6



9821007001
7 hex T wrenches torx :
T9-T10-T15-T20-T25-
T30-T40



9810025001
Cutting tools (triple module) : 1 metalcut
hacksaw-5xHSS000 saw blades- 1 cutter
18 mm + 10 blades-1 measurement 3
m-1 carbide plotter with clip-1 stainless
steel workshop ruler 200 mm - 1 flat
hand bastard - 1 half-round half-soft - 1
triangular half-soft - 1 half-soft square - 1
round half-soft



INNOVATION

THE STURDY, HIGH-VOLUME TOOL TROLLEY

XLINER



STAINLESS STEEL TRAY

Textured stainless steel + 2 bimaterial sides : polypropylene + elastomer
Bimaterial handle integrated into the construction
2 screwdriver pockets
8 screwdriver slots

DRAWERS = LOAD 40 KG

Drawers equipped with bottom mats
100% drawer opening
Drawers are pre-locked to prevent accidental opening unintentional opening when moving
unlocked by simply pressing the handle
No need for cushioning units

MORE PRACTICAL

Perforated sides for accessories:
waste garbage can, bottle holder, roll holder
Side bumpers
Epoxy paint

HIGH-VOLUME




INOX



XLINER

6 DRAWERS 4 MODULES


4 Drawers H 60 mm
1 Drawer H 100 mm
1 Drawer H 240 mm



XLINER XL

7 DRAWERS 5 MODULES

Prevents multiple drawers from opening simultaneously
5 Drawers H 60 mm
2 Drawer H 140 mm



WITH ANTI-TILT DEVICE



XLINER + CABINET

6 DRAWERS 3 MODULES + CABINET

4 Drawers H 60 mm
1 Drawer H 100 mm
1 Drawer H 240 mm
1 cabinet

Cabinet with 2 adjustable inner shelves.
Key lock door



9519000601



9518000701



9522000601



PROLINER



CLASSIC
SIMPLE AND STURDY
6 DRAWERS 3 UNITS
 4 Drawers H 60 mm
 1 Drawer H 140 mm
 1 Drawer H 215 mm



Metal tray + foam
 100% opening drawers
 Bottom mat
 Steel handle (supplied unassembled)
 Central locking
 2 swivel wheels, one of them with brake. 2 fixed unassembled wheels (delivered unassembled)



9523000601



RESISTANCE


Polypropylene tray
 Integrated handle

PRATICAL

Perforated sides for accessories: waste garbage can, bottle holder, roll holder.

SAFETY

Drawers are pre-locked to prevent accidental opening when on the move



3 MODULES

ACCESSORIES FOR TOOL TROLLEYS PROLINER AND XLINER

GARBAGE CAN H 300 mm
 9513070701

FLASK HOLDER H 110 mm
 9513070601

ROLL HOLDER Ø ext max 160 mm
 9513071101

BRIEFCASE H 250 mm
 9513071001

SET OF 10 DIVIDERS H 60 mm
 9513070801

SET OF 3 DIVIDERS H 100 mm
 9513070901



PROLINER

5 DRAWERS
3 MODULES

2 Drawers H 60 mm
 1 Drawer H 100 mm
 1 Drawer H 140 mm
 1 Drawer H 240 mm



9516000501

PROLINER

6 DRAWERS
3 MODULES

4 Drawers H 60 mm
 1 Drawer H 100 mm
 1 Drawer H 240 mm



9516000601

PROLINER

7 DRAWERS
3 MODULES

5 Drawers H 60 mm
 1 Drawer H 120 mm
 1 Drawer H 140 mm



9516000701

PROLINER BLACK

6 DRAWERS
3 MODULES

4 Drawers H 60 mm
 1 Drawer H 100 mm
 1 Drawer H 240 mm



Handles
 watertransfer
 Carbon



9514000601



177 TOOLS SET WITH FOAM MODULES 3 FURNISHED TOOL TROLLEYS

WITH DUO HAMMER
AND FAST RATCHET !



PROLINER

177 TOOLS

6 DRAWERS

4 drawers H 60 mm
1 drawer H 100 mm
1 drawer H 240 mm

9514177601



5 combination wrenches :

27-28-29-30-32 mm

17 combination wrenches :

6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22-24 mm

13 socket wrenches 6x6 :

7-8-9-10-11-12-13-14-15-16-17-18-19 mm



2 pliers :

Locking pliers with long jaws + needle-nose pliers 240 mm bimaterial handle

3 bimaternal pliers :

Universal 180 mm-diagonal cutting 160 mm- Half round jaws 170 mm

4 circlip pliers 19-60 :

1 internal straight -1 internal 90° - 1 external straight -1 external 90°

PROLINER

177 TOOLS

7 DRAWERS

5 drawers H 60 mm
1 drawer H 120 mm
1 drawer H 140 mm

9516177701



8 screwdrivers (slotted +PZ) :

2.5x75-3.5x100-4x100-5.5x125-6.5x150
8x150 with screw -PZ1- PZ2

7 screwdrivers (Tamper Torx) :

TT10-TT15-TT20-TT25
TT27-TT30-TT40

Striking tools and tracing :

DUO hammer 40 mm - workshop ruler 200 mm-Nylon tip -4 punches sets 3, 4, 5, 6 and 8 mm - 1 carbide plotter-Chisel 200 mm-centre punch 6 mm

XLINER

177 TOOLS

7 DRAWERS

ANTI-TILT SYSTEM
5 drawers H 60 mm
2 drawer H 140 mm

9518177701



59 square pieces 1/4 :

1 FAST ratchet 1/4
13 sockets : 3,2 to 14 mm-1 sliding handle-1 joint - 2 extension bars 50 and 125- 9 hex wrenches-30 screwdriver bits-1 grip handle- 1 bit holder sleeve

23 square pieces 1/2 :

1 FAST ratchet 1/2-
18 sockets: 8-9-10-11-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm - 1 sliding handle- 1 joint- 2 extension bars 125 and 250 mm

Empty module



Cutting tools (triple module) : 1 metalcut hacksaw-5 HSS000 saw blades- 1 cutter 18 mm + 10 blades-1 measurement 3 m- 1 carbide plotter with clip- 1 stainless steel workshop ruler 200 mm - 1 flat hand bastard - 1 half-round half-soft - 1 triangular half-soft - 1 half-soft square - 1 round half-soft

Includes 4 foam modules for securing items

MOBEST

133 TOOLS SET WITH FOAM MODULES 3 FURNISHED TOOL TROLLEYS

**WITH DUO HAMMER
AND FAST RATCHET!**



CLASSIC

133 TOOLS

6 DRAWERS

4 drawers H 60 mm
1 drawer H 140 mm
1 drawer H 215 mm

9523133601



12 combination wrenches : 6-7-8-9-10-11-13-14-17-18-19-21 mm

13 socket wrench s6x6 : 7-8-9-10-11-12-13-14-15-16-17-18-19 mm

4 pliers : Locking pliers with long jaws - water pump pliers

2 bimaterial pliers : diagonal cutting 160 mm - Half-round jaws 170 mm

PROLINER

133 TOOLS

6 DRAWERS

4 drawers H 60 mm
1 drawer H 100 mm
1 drawer H 240 mm

9514133601



8 screwdrivers (slotted+PZ) : 2.5x75-3.5x100-4x100-5.5x125-6.5x150
8x150 with screw -PZ1- PZ2

7 screwdrivers (Tamper Torx) :
TT10-TT15-TT20-TT25
TT27-TT30-TT40

Striking tools and tracing
DUO hammer 40 mm - workshop ruler
200 mm-Nylon tip -4 punches sets 3, 4,
5, 6 and 8 mm - 1 carbide plotter-Chisel
200 mm-centre punch 6 mm

PROLINER

133 TOOLS

7 DRAWERS

5 drawers H 60 mm
1 drawer H 120 mm
1 drawer H 140 mm

9516133701



59 square pieces 1/4 : 1 FAST ratchet 1/4
13 sockets : 3,2 to 14 mm-1 sliding handle-1
joint - 2 extension bars 50 and 125- 9
hex wrenches-30 screwdriver bits-1 grip
handle- 1 bit holder sleeve

23 square pieces 1/2 : 1 FAST ratchet 1/2-
18 sockets: 8-9-10-11-12-13-14-15-16-17-18-
19-21-22-24-27-30-32 mm-1 sliding handle-1
joint-2 extension bars 125 and 250 mm

Empty module

Includes 3 foam modules for securing items



PROLINER

156 TOOLS



TOOL TROLLEY 6 DRAWERS WITH THERMOFORMED UNITS



5 combination wrenches : 22-24-27-30-32 mm

16 combination wrenches : 6-7-8-9-10-11-12-13-14-15-16-17-18-19-22-24 mm

10 socket wrenches 6x6 : 8-10-11-12-13-14-16-17-18-19 mm




2 pliers : Locking pliers with long jaws + needle-nose pliers 240 mm bimaterial handle

4 pliers bimatière : 4 bimaterial pliers: Universal 180 mm + diagonal cutting 180 mm + Flat jaws 170 mm - Half-round jaws 170 mm

4 circlip pliers 19-60 : 1 internal straight -1 internal 90° - 1 external straight -1 external 90°

9516156601



7 screwdrivers (slotted) : 2.5x75-3.5x100-4x100-4x150-5.5x150-5.5x125-6.5x150

7 screwdrivers (PH + PZ) : PH0-PH1-PH2-PZ0-PZ1-PZ2-8x150 with screw

7 screwdrivers TORX : T8-T10-T15-T20-T25-T30-T40



5 bimaterial files of 200 mm : 1 flat hand bastard - 1 half-round half-soft 1 half-soft square - 1 triangular half-soft- 1 round half-soft

Striking tools : 1 engineer's hammer 32- 1 plastic-tipped mallet 32 - 1 chisel of 200- 1 centre punch 6 - 3 pin punch 4, 5 and 6 - 1 workshop ruler of 20 cm - 1 carbide plotter

23 square pieces 1/2 : 17 sockets: 10 to 22-24-27-30-32 mm-1 sliding bar - 1 ratchet 1/2-1 joint -2 extension bars 125 and 250-1 adapter



38 pieces 1/4 : 9 hex wrenches -1 ratchet -10 sockets 5,5 to 14 mm-1 universal joint -2 extension bars 50mm and 125 mm-1 sliding handle - 1 handle with sliding drive-13 screwdriver bits + socket handle

Sawing, measuring : Cutter 18 mm-10 blades of 18 mm- measurement de 3 m - 1 metalcut hacksaw- 5xHSS000 saw blades

CLASSIC

57 TOOLS



TOOL TROLLEY 6 DRAWERS WITH THERMOFORMED UNITS

6 DRAWERS

4 drawers H 60 mm-1 drawer H 140 mm-1 drawer H 215 mm



12 combination wrenches : 8-9-10-11-12-13-14-16-17-18-19-22 mm

Pliers and wrench : Adjustable wrench 200 mm + water pump pliers 240mm

4 bimaterial pliers : Universal 180 mm + diagonal cutting 180 mm - Flat jaws 170 mm - Half-round jaws 170 mm



7 screwdrivers (slotted + PZ) : 3.5x100-4x100-5.5x125-6.5x150-8x150 with screw PZ1-PZ2

Striking tools : 1 engineer's hammer 32 1 plastic-tipped mallet 32 1 chisel of 200- 1 centre punch 6 - 3 pin punch 4, 5 and 6 - 1 workshop ruler of 20 cm - 1 carbide plotter

23 square pieces 1/2 : 17 sockets: 10 to 22-24-27-30-32 mm-1 sliding bar - 1 ratchet 1/2-1 joint -2 extension bars 125 and 250 -1 adapter


9523057601

MOBEST

HEAVY-DUTY WORKBENCH

WOODEN TRAY

40 mm multi-ply wood
Static load: 1000 kg
Possibility of attaching a vice
L 200 X W 60 X H 94 mm
Optional stainless steel plate 60 x 60
Storage metal crossbar.



WITHOUT PLATE STAINLESS STEEL

9611009901

WITH PLATE STAINLESS STEEL

9611059901



WORKBENCH 6 DRAWERS

- 1 WOODEN TRAY
- + 1 BLOC OF DRAWERS
- + 1 STAND
- + 1 CROSSPIECE SHELF

WITHOUT PLATE STAINLESS STEEL

9611000601

WITH PLATE STAINLESS STEEL

9611050601



WORKBENCH 12 DRAWERS

- 1 WOODEN TRAY
- + 2 BLOCS OF DRAWERS
- + 2 STANDS

WITHOUT PLATE STAINLESS STEEL

9611001201

WITH PLATE STAINLESS STEEL

9611051201



INNOVATION

HIGH-VOLUME SOLUTION

B'UP

HIGH-VOLUME SOLUTION

1



Flash this to see the B'UP in action !



STANDING WORK

Allows you to work standing up on site, thanks to 2 textile and 1 removal zone.
Main tools are on top, within easy reach.
The removal zone lets you place screws and parts, in complete autonomy.

XXL VOLUME

The large-volume solution not only transports tools, but also saves space in the cargo hold, space in the hold. Ideal for touring.

QUALITY

Textile 1680 denier.

2

1 DEPOSIT

Stand up zone

2 ESSENTIAL

- 31 inside pockets for wrenches, screwdrivers, pliers etc...
- 4 outside pockets.
- Carrying handle and shoulder strap.

3 B'UP TROLLEY

- XXL 50L volume.
- Reinforced pocket for 16" PC or tablet.
- Pockets for saw and hammer.
- Separate reinforced compartment for socket box.
- Map holder.
- Integrated deposit.

TROLLEY SET, ESSENTIAL AND DEPOSIT

- 39 interior pockets including hammer and special PC pocket (up to 16")
- 9 outside pockets including saw.
- The Deposit can be placed on the trolley for stand-up work.

Supplied without tools

9599000001



Sample presentation
Supplied without tools

EVERY TOOL HAS ITS PLACE



SOCKET SET :
Reinforced, self-contained case for sockets. Double zip.



PC OR TABLET :
Protects and separates PC (16") or tablet from the rest of the luggage compartment.



HAMMER :
Slanted inner pocket for easy hammer from a standing position.



SAW :
External saw pocket. Designed to be grasped standing up.



DEPOSIT

Stand-up zone

9596000001



ESSENTIAL

- 31 inside pockets for wrenches, screwdrivers, pliers etc...
- 4 outside pockets.
- Carrying handle and shoulder strap.

9598000001



B'UP TROLLEY

- XXL 50L volume.
- Reinforced pocket for 16" PC or tablet.
- Pockets for saw and hammer.
- Separate reinforced compartment for socket box.
- Map holder.
- Integrated deposit.

9597000001





HIGH-VOLUME MAINTENANCE SOLUTION



88 TOOLS STANDARD SET

(not sold alone)

-  x12 Combination wrenches : 8-9-10-11-12-13-14-16-17-19-22-24 mm
-  x1 Adjustable wrench 200 mm
-  Bimaterial screwdrivers :
-  x7 - 4 slotted : 3,5x75-4x100-5,5x100-6,5x150 mm
-  - 2 Phillips : PH1 - PH2 /1 PZ2 VDE
-  x3 Micro screwdrivers slotted : 2-2,5-3 mm
-  x1 Micro screwdriver PH0
-  x1 Bit holder
-  30 screwdriver bits + Magnetic bit holder
-  x32 + 1/4" socket holder
-  x1 Cutting pliers 160 mm
-  x1 Universal pliers 180 mm
-  x1 Half-round jaws pliers 170 mm
-  x9 Hex wrenches : 1,5-2-2,5-3-4-5-6-8-10 mm
-  x2 Pin punches : 4-5 mm
-  x1 Nail - punch 4 mm
-  x1 Half-round file 200 mm
-  x1 DUO hammer 35 mm Carbon handle
-  x1 Universal shears
-  x1 Locking pliers 250 mm
-  x1 Cutter 18 mm
-  x1 Light with 14 leds
-  x1 Centre punch 6 mm
-  x1 Water pump pliers 240 mm
-  x1 Set of saw+ 5 carbon blades
-  x1 Measurement 3 m
-  x1 Rectangular level of 30 cm

116 TOOLS SET OPTION

88 TOOLS STANDARD SET

(See details opposite)



Additional socket set 28 pieces 1/2 in



Fast

9599116001

121 TOOLS SET OPTION

88 TOOLS STANDARD SET

(See details opposite)



Additional socket set 33 pieces 1/4 & 1/2 in



9599121001

HIGH-VOLUME ELECTRICIAN SOLUTION



116 TOOLS STANDARD SET

-  x9 Combination wrenches : 8-9-10-11-12-13-14-17-19 mm
-  x1 Adjustable wrench 150 mm
-  Insulated and bimaterial screwdrivers :
 - 3,5x75-4x100-5,5x125-6,5x150
-  x7 - 2 phillips : PH1-PH2
 - 1 Pozidriv PZ1
-  x5 Micro screwdrivers : 4 slotted 1,5-2-2,5-3 mm + 1 phillips
 : PH0
-  x1 Voltage testor
-  x1 Bit holder
 30 screwdriver bits +Magnetic bit holder
 + 1/4" socket holder
-  x32
-  x1 Insulated cutting pliers 160 mm
-  x1 Insulated universal pliers 180 mm
-  x1 Insulated half-round jaws pliers 200 mm
-  x1 160 mm VDE stripping pliers
-  x1 Water pump pliers 240 mm
-  x1 Crimping pliers
-  x1 Box of 32 connectors
-  x1 Electrician's knife
-  x1 Electrician's scissors
-  x1 Universal shears
-  x9 Hex keys 1,5-2-2,5-3-4-5-6-8-10 mm
-  x1 Electrician's hammer 18 mm wooden handle
-  x1 Cutter 18 mm
-  x1 Light with 14 leds
-  x1 Measurement 2 m
-  x1 Workshop ruler 15 cm
-  x1 Rectangular level 30 cm
-  x2 Pin punches : 4-5 mm
-  x1 Center punch 6 mm
-  x1 Adlutable mirror 30 mm
-  x1 Pin punch : 4 mm

9599116101

144 TOOLS SET OPTION

116 TOOLS STANDARD SET

(See details opposite)



Additional socket set 28 pieces 1/2 in



Fast

9599144101

149 TOOLS SET OPTION

116 TOOLS STANDARD SET

(See details opposite)



Additional socket set 33 pieces 1/4 & 1/2 in



9599149101



NOVELTY

WATERPROOF BACKPACK

BUP



Delivered without tools

9593000001

With over **26 interior pockets** and **10 elastic straps**, organize your tools efficiently and find them in a flash.



RESISTANT : Thanks to its 1680 denier fabric and waterproof bottom, this bag is designed to last and protect your tools in all conditions.



ACCESSIBILITY : The removable center panel keeps your most-used tools close at hand for maximum efficiency.



PRATICAL : Opening on both sides allows quick and easy access to all your tools, without having to rummage.



COMFORTABLE : Reinforced back and shoulder straps ensure extreme comfort all day long.



ERGONOMIC : Handle makes it easy to move around.



SAFETY : Reflective strips increase your visibility.



PROTECTED : Thanks to its protective sock, you'll be safe from dirt and grime when you're with the bag on your back.

EVERY TOOL HAS ITS PLACE



PC OR TABLET : Reinforced pocket for a laptop or digital tablet or digital tablet.



PRATICAL : Slot for business card and various small accessories.



BACKPACK TRIPTYCH

Capacity : 15 kg
Volume: 21 L
Size:
L 350 x W 200 x H 450mm



NUMEROUS STORAGE SPACE

- 2 front pockets, one with space for business cards, pens, documents, and a built-in key ring, and 1 zippered pocket on the back
- 1 removable tool panel, 3 bellows with 8 pockets and 10 elastic bands - Protective pads
- Smartphone sleeve
- Wear- and tear-resistant fabric

9575000001

Tool-holder triptych on detachable front



Delivered without tools





MEDIUM EASY BAG

Load capacity 15kg
28L CAPACITY
L 510 x W 260 x H 385 mm
Waterproof bottom over 5 cm
400 mm hacksaw and handsaw pocket

RESISTANCE

Wear and tear resistant 600 denier fabric
Waterproof coated inside

EASY TRANSPORT

Comfortable foam-molded metal handle or adjustable shoulder strap with non-slip sleeve

STORAGE

Multiple inside and side pockets for easy storage

EXTERNAL SAW POCKET



9772000001

SMALL EASY BAG

MODEL S
Load capacity 11 kg
12 L CAPACITY
L 420 X W 190 X H 240 mm
Cargo with removable bins

CARGO HOLD WITH REMOVABLE BOXES



9570000001

WATERPROOF BAG

19kg and 12L load/volume capacity -L 540 x W 170 x H 225 mm

PRATICAL

The size of the bag allows you to store long or bulky tools such as a saw, a stillson wrench, a level... (max. length 50 cm).

RESISTANT

Textile toolbox in PVC material, making it more resistant in damp or splashy areas, and easier to wash in dusty or dirty areas.

ORGANIZED

4 inside pockets for small tools: pliers, wrenches, screwdrivers etc.-1 zipped pocket in lid for documents, pens, telephone and 1 measuring loop -Close with 2 adjustable plastic clips.

EASY TO TRANSPORT

Adjustable shoulder strap for carrying.

example of presentation



slim**bag**



9592000001

DUOBAG

19kg and 12L load/volume capacity -W 450 x W 200 x H 365 mm
 Easy access and easy storage
 Multiple storage compartments : 1 zipped pocket on front, 13 pockets, 12 elastic straps as well as 2 open side pockets
 Adjustable shoulder strap with non-slip sleeve
 1200-denier fabric even more resistant to wear and tear
 Waterproof bottom

DUOBAG

MOBEST



Flash this to see the video !



9591000001

2 STORAGE AREAS :

1 side for tools and 1 side "empty pocket" for drill + charger or laptop or documents.

TEXTILE BAG WITH DOUBLE COMPARTMENT



With tools



With laptop



With hand-held power tools



Waterproof bottom

TROLLEY BAG

EASY HANDLING

- Trolley system, height 1010 mm.
- Sturdy, extra-large wheels Ø 40 mm = Improved stability.
- Relay handle.

PRATICAL

- 100% gusseted opening.
- Multiple storage pockets : 15 inside pockets and 10 outside pockets.
- 2 tapeholders (metal loop for measuring).
- Protective zipper.

RESISTANT

- Hard synthetic base + 4 elastomer glides.
- 1680 denier fabric wear and tear resistant.
- High load capacity: 68 kg
- Volume: 44 L
- Interior dimensions: L45 x W25 x H39 cm.



9574000001



WORKSHOP EQUIPMENT AND STORAGE

FURNISHED TROLLEY BAG / 67 TOOLS















9574067001

-  x10 Combination wrenches : 8-10-11-12-13-14-16-17-18-19 mm
-  x8 Bimaterial screwdrivers :
- 3,5x75-5,5x125-6,5x150-8x150
- PZ1-PZ2-PH1-PH2
-  x3 Insulated screwdrivers : 4x100-PH1-PH2
-  x1 Voltage tester
-  x1 Plotter
-  x9 Hex keys : 1,5-2-2,5-3-4-5-6-8-10 mm
-  x1 Diagonal cutting pliers 160 mm
-  x1 Universal pliers 180 mm
-  x2 Circlip pliers 19-60 mm
-  x1 Water pump pliers
-  x1 Universal shears
-  x1 Half-round jaws pliers 200 mm
-  x1 Workshop ruler 20 cm
-  x1 Flat hand file 200 mm
-  x1 Half-round file 200 mm
-  x1 Measurement 3 m
-  x1 Level 40 cm
-  x1 Burin 200 mm
-  x1 Cutter 18 mm
-  x4 Pin punches : 2-3-4-5
-  x1 Wire brush
-  x1 Saw+ 10 blades
-  x1 Electrician's knife
-  x1 DUO hammer 35 mm Carbon handle

MAINTENANCE DUOBAG / 80 TOOLS

DUOBAG



-  x6 Screwdrivers : 3.5x75-4x100-5.5x100-6,5x150-PH1-PH2
-  x1 Bit holder
-  x31 30 screwdriver bits + Magnetic bit holder
-  x1 Adjustable wrench 250 mm
-  x1 Hex keys : 1,5-2-2,5-3-4-5-6-8-10 mm
-  x1 Water pump pliers
-  x1 Cutting pliers 160 mm
-  x10 Set of 10 combination wrenches : 8-10-11-12-13-14-16-17-18-19 mm
-  x1 Saw + 10 blades
-  x1 DUO hammer 35 mm Carbon handle
-  x1 Cutter + 10 blades
-  x1 Measurement 3 m

9591080001



BASIC PLASTIC TOOLBOX



Metal latches Removable tray
Padlockable (supplied without padlock) 2 removable compartments
+ 1 fixed bit compartment

Size. mm	Max. load	Ref.
410x210x185	12 kg	9506000201
470x240x220	15 kg	9506000301

METAL TOOL BOX 5 COMPARTMENTS

MOBEST



Comfortable tubular handles
Sheet thickness: 0.8 mm Reinforced rivets
Impact-resistant epoxy paint
Mats in each compartment
Stable
100% accessibility

Size. mm	Weight	Ref.
450x200x200	4 kg	9501000001
530x200x200	5,6 kg	9501000101

- x9 Hex keys : 1,5-2-2,5-3-4-5-6-8-10 mm
- x1 Adjustable wrenches 250 mm
- x10 Combination wrenches :
8-10-11-12-13-14-16-17-18-19 mm
- x8 Screwdrivers : 4 slotted :
- 4x100-5,5x100-6,5x150-8x150 mm
- 2 Phillips : PH1 - PH2 - 2 Pozidriv : PZ1 - PZ2
- x1 Water pump pliers 240 mm
- x1 DUO hammer 35 mm Carbon handle
- x1 Universal pliers 180 mm
- x1 Half-round jaws pliers 200 mm
- x1 Cutting pliers 160 mm
- x1 Saw+ 10 carbon blades
- x3 Pin punches : 3-4-5
- x1 Center punch 6 mm
- x1 Half-round file 200 mm
- x1 Measurement 3 m
- x1 Level 40 cm

FURNISHED TOOL BOX 50 TOOLS



9501050101

- x3 Insulated screwdrivers :
4x100-PH1-PH2
- x6 Bimaterial screwdrivers :
3,5x75-5,5x120-6,5x150
8x150-PZ1-PZ2
- x1 Voltage tester
- x9 Hex keys : 1,5-2-2,5
3-4-5-6-8-10 mm
- x10 Set of combination
wrenches : 8-10-11-12-13-14
16-17-18-19 mm
- x1 Water pump pliers
- x1 Half-round jaws pliers
200 mm
- x1 Diagonal cutting pliers
160 mm
- x1 Half-round file
200 mm
- x1 DUO hammer 35 mm
Carbon handle
- x4 Pin punches: 2-3-4-5
- x1 Center punch 6 mm
- x1 Workshop ruler 20 cm
- x1 Measurement 3 m
- x1 Electrician's knife
- x1 Engineer's cold chisel 200 mm
- x1 Pincers 220 mm
- x1 Wire stripping pliers 160 mm
- x1 All-purpose shears
- x1 Cutter 18 mm
- x1 Ratchet
- x1 Socket adaptor
- x14 Sockets : 8 to 24 mm
- x1 Sliding handle
- x2 Spark plug sockets 16
and 21 mm
- x1 Joint
- x2 Extension bars : 125-250 mm

FURNISHED TOOLBOX 70 TOOLS WITH SOCKET MODULES



9501070101



MOBEST

TROLLEY TOOL CASE/128 TOOLS



Size. 465x420x230 mm

ABS volume: lightweight, ultra-impact-resistant plastic

EASY TRANSPORT :

Integrated trolley system, no protrusion, slips in anywhere without snagging (aircraft hold, between 2 seats...) and remains shockproof.

2 fixed, pre-fitted tool panels

Key lock



Composition :

11 combination wrenches : 8-9-10-11-12-13-14-16-17-19-22 mm

1 adjustable wrench 200 mm

1 half-round file 200 mm

6 bimaterial screwdrivers :

3,5x75-4x100-5,5x100-6,5x150-PH1-PH2

5 micro screwdrivers : 2-2,5-3 mm + PH00-PH0

1 voltage testor

1 water pump pliers

1 universal pliers 180 mm

1 cutting pliers 160 mm

1 half-round jaws pliers 170 mm

1 wire stripping pliers 160 mm

1 pinners 200 mm

1 universal shears

1 crimping pliers

1 cutter

1 box of 32 connectors

9 hex wrenches 1,5-2-2,5-3-4-5-6-8-10

1 measurement 3 m

1 workshop ruler 15 cm

1 centre punch 4

2 pin punches 4-5

1 rectangular level 30 cm

1 leds light

1/4" square : 1 ratchet

13 sockets : 3,2 to 14 mm

1 sliding handle

2 extension bars of 50 and 125 mm

1 universal joint

1 bit holder socket

1 bit holder

30 screwdriver bits

1/2" square : 1 ratchet

17 sockets : 10 to 32 mm

2 extension bars of 125 and 250 mm



1 universal joint

1 sliding handle

1 adaptor

1 engineer's hammer 30 mm

9538128001





MOBEST

ALUMINIUM TOOL CASE/51 TOOLS

EVERYTHING AT YOUR FINGERTIPS
SAFETY
 Code lock

Composition :

- 10 combination wrenches : 8-9-10-11-12-13-14-15-17-19 mm
- 7 bimaterial screwdrivers : 5,5x38 short-4x100-5,5x125-6,5x150-PH1-PH2-PH2 short
- 1 water pump pliers
- 1 universal pliers 180 mm
- 7 hex wrenches 2-2,5-3-4-5-6-8 mm
- 1 DUO hammer 35 mm Carbon handle

1/2" square :

- 1 ratchet
- 12 sockets : 8-9-10-11-12-13-14 -15-17-19-22-24 mm
- 2 extension bars of 125 and 250 mm
- 1 universal joint
- 2 spark plug sockets 16 and 21 mm
- 1 handle
- 4 screwdriver bits: T10-T15-T20-T25

9530051001

Dim. 400x300x85 mm





MOBEST



ALUMINIUM TROLLEY TOOL CASE / 128 TOOLS

Composition :

11 combination wrenches : 6-8-9-10-11-12-13-14-17-19-22 mm
1 adjustable wrench 200 mm

7 bimaterial screwdrivers : 5 slotted : 3.5x75-4x100-5.5x100
6.5x150-8x150 mm / 2 Phillips : PH1-PH2
4 micro screwdrivers : 2 slotted : 2-3 mm / 2 Phillips : PH00-
PH0
1 voltage testor

1 set of 9 hex wrenches : 1.5-2-2.5-3-4-5-6-8-10 mm
1 water pump pliers 240 mm
1 straight all-purpose shears 190 mm

1 universal pliers 180 mm
1 cutter 18 mm
1 half-round file
1 mini-saw
5 saw blades HSS 000
1 measurement 3 m
1 workshop ruler 150 mm
1 plotter
1 rectangular level 30 cm
1 trimaterial engineer's hammer 30 mm
1 center punch 6 mm
2 pin punches 4-5 mm
1 nail punch 4 mm

1/2" square : 1 ratchet 72 teeth
13 6-point sockets : 3.2-4-5-5.5-6-7-8
9-10-11-12-13-14 mm
1 universal joint
1 sliding handle 115 mm
2 extension bars : 50-125 mm
1 screwdriver bit holder
1 6-point bit holder socket 6 points
1 bit holder socket
1 box of 32 bits + bit holder

1/2" square : 1 ratchet 72 teeth
17 12-point sockets : 10-11-12-13-14-15-16-17
18-19-20-21-22-24-27-30-32 mm
1 universal joint
1 sliding handle 255 mm
2 extension bars : 125-250 mm
1 adaptor 1/2"=>3/8.

9535128001

Dim. 490x400x155 mm




COMFORT

Reinforced, rounded corners
Metal hinges
Support feet for flat or upright packing
Open suitcase lock

PRATICAL

Removable telescopic handle
2 pre-fitted panels, double-sided
Foam at the bottom of the tool case
Key lock

REMOVABLE TELESCOPIC TROLLEY HANDLE



MOBEST

ALUMINUM TOOL CASE / 125 TOOLS

Composition :

- 11 combination wrenches : 6-8-9-10-11-12-13-14-17-19-22 mm
- 1 adjustable wrench 200 mm
- 7 bimaterial screwdrivers : 3,5x75-4x100-5,5x100-6,5x150-8x150-PH1-PH2
- 4 micro screwdrivers : 2-3 mm-PH00-PH0
- 1 water pump pliers
- 1 universal pliers 180 mm
- 1 universal shears
- 9 hex wrenches 1,5-2-2,5-3-4-5-6-8-10 mm
- 1 engineer's hammer 30 mm trimaterial handle
- 1 measurement 2 m
- 1 workshop ruler 15 cm
- 1 centre punch 4 mm
- 3 pin punches 4-5-6 mm
- 1 mini-saw
- 5 saw blades
- 1 cutter
- 1 rectanukar level 30 cm

- 1/4" square:** 1 FAST ratchet
 13 6-point sockets : 3,2 to 14 mm
 1 sliding handle
 2 extension bars 50 and 125 mm
 1 universal joint
 1 adaptor
 1 bit holder socket
 1 bit holder
 30 screwdrivers bits

- 1/2" square:** 1 FAST ratchet
 17 12-point sockets : 10 to 32 mm
 2 extension bars : 125 and 250 mm
 1 universal joint
 1 sliding handle
 1 adaptor

9534125001

Dim. 490x400x155 mm




COMFORT

- Reinforced, rounded corners
- Metal hinges
- Open case lock
- Bi-material handle

PRATICAL

- 2 pre-fitted panels, double-sided
- Foam at the bottom of the tool case
- Key lock





INNOVATION

FAST RATCHET


FAST

FAST-TRACK APPROACH

Flash this to see the video!



+ 5 mm



One-piece knob

INTEGRATED KNOB
Saves time at the start of screwing

INNOVATION
One-piece, machined knurl, one-piece with square
Adds just 5 mm to the height height



72 teeth / 5° Eject button

Quick direction change

PERFORMANCE
Mechanism life : 25,000 cycles
Teeth x1.6 above DIN standards

Customer feedback :

"Ideal at the start of screwing before being able to use the ratchet".

"I control the approach manually, and I have more strength."



1/2"

920721301



Premium ratchet 72 teeth
Quick direction change
Socket ejection button
Round Chrome Molybdenum head



1/4"

9200721301

NOVELTY

COMPACT RATCHET 1/4"

25% + COMPACT



9200721401



ENHANCED SAFETY

Quick locking and unlocking of sockets with a push button
Secure hold: sockets and accessories remain attached to the ratchet in all circumstances

OPTIMAL ACCESSIBILITY

5° angle of rotation (72-tooth mechanism) ideal for tight spaces
Compact ratchet head for easy access even in the most confined spaces

ERGONOMIC

Comfortable Bi-material handle, designed for prolonged use in all positions
Length 110 mm

SOCKET RACK

NOVELTY



Optimized shape for greater strength: no sharp edges

Chromium-vanadium steel: strong and durable 12-point from 12 to 27 mm

LONG SOCKETS
1/2» - 12-POINT



14 x 12-point sockets: 12-13-14-15-16-17-18-19-20-21-22-23-24-27 mm

9430070001




EXTENDABLE RATCHET 1/2"

NOVELTY



9202721401



Adjustable ratchet by detent in 9 positions



Satin chrome finish

SAFETY

Square drive 1/2" compliant NF ISO 1174 and NF ISO 3315.
Push button: secure socket holding and quick sleeve ejection.

ACCESSIBILITY

72-tooth mechanism - 5° return angle
Slim head for a reduced footprint.

ERGONOMY


Bi-material handle for a comfortable grip.
Resistant to common hydrocarbons.

POWER

More tightening torque thanks to extendable system.



Open ratchet length maximum: 41 cm
Ratchet length closed: 25.5 cm





RATCHETS AND SOCKETS

NOVELTY

1/2" ARTICULATED HANDLE



9 Positions



380 mm

9286381001



RELIABILITY

Forged and turned Chromium-vanadium steel design.
Hardness 40-46 Hrc for an optimal hardness/longevity ratio.

SAFETY

"Lock pin" plunger system: secures the socket and the element (socket, ratchet).

COMFORT

Ergonomic Bi-material handle for a comfortable and secure grip.



MOBEST

BOX SET / 28 PIECES

1/2"



With extension lead
CLICK'N HOLD



1/2"-6 POINT 8 mm 32

- HDPE box size 405x225x60 mm-Bicolour foam insert
- 21 hexagon sockets: 8-9-10-11-12-13-14-15-16-17 -18-19-20 -21-22-23-24-27-28-30-32 mm
- 1 Premium round ratchet 72 teeth
- 1 joint 1 sliding handle - 1 extension 125 mm
- 1 280 mm click'n hold extension 2 spark plug sockets: 16-21 mm

9436028001



BOX SET 3/4"

16 PIECES \square 3/4"-6 POINT

Metal case-Size:530 x 175 x 80 mm-14 kg
 10 6-point sockets: 22-24-27-30-32-36-38-41-46-50 mm
 1 ratchet 40 teeth 2 extensions: 200-400 mm
 1 gimbal - 1 sliding handle 450 mm
 1 adapter 3/4" --> 1/2"



RESISTANCE

100% forged turned sockets.
 2 layers of nickel and 1 layer of chromium
 to absorb shocks
 Torque 150% above standards
 DIN3120 and ISO 1174-1

HEAVY-DUTY METAL BOX
 with safety lock



9440020001

BOX SET/28 PIÈCES



With
FAST RATCHET



With extension lead
CLICK'N HOLD



\square 1/2"-6 POINT-FAST



HDPE box size 405x225x60 mm-Bicolour foam insert
 21 hexagon sockets: 8-9-10-11-12-13-14-15-16-17 -18-19-20 -21-22-23-24-27-28-30-32 mm
 1 Premium Fast 72-tooth round ratchet with integrated wheel
 1 joint 1 sliding handle - 1 extension bar 125 mm
 1 280 mm click'n hold extension - 2 spark plug sockets: 16-21 mm

Repair



9436028101



RATCHETS AND SOCKETS

MIXED BOX SET / 33 PIECES

LARGE 1/4" AND 1/2" COMPOSITION
in a compact box



TORX BOX SET / 28 PIECES

SPECIAL TORX BOX



1/4" + 1/2"-6 POINT



Repair

HDPE-size box 405 x 225 x 60 mm -Foam insert

1/4" 10 6-point sockets: 4-5-6-7-8-9-10-11-12-13 mm

1 repairable Premium round ratchet - 1 joint - 1 extension bar 50 mm

1 extension 140 mm cliK'n hold

1/2" 15 6-point sockets: 10-11-12-13-14-16-17-18-19-21-22-24-27-30-32 mm

1 repairable Premium round ratchet - 1 joint - 1 extension 125 mm - 1 extension 280 mm cliK'n hold

9436033001

1/4" + 1/2"

HDPE box-size 270 x 215 x 60 mm- Foam insert

Female Torx sockets :

1/4": E4-E5-E6-E7-E8-E10-E11

1/2": E11-E12-E14-E16-E18-E20-E24

Screwdriver sockets Tamper Torx :

1/4" : TT8-TT9-TT10-TT15-TT20-TT25-TT27

1/2" : TT30-TT40-TT45-TT50-TT55-TT60-TT70

9028000000

MOBEST

METAL BOXES

BOX SET 1/4" / 29 PIECES



ROUND RATCHET
PREMIUM 72 TEETH / 5°

Eject button



Quick direction
change

Repair

BOX SET 1/2" / 25 PIECES



1/4"-6 POINT



Size. 245x120x38.5 mm

11 sockets: 4-4.5-5-5.5-6-7-8-9-10-11-13 mm

1 repairable Premium round ratchet 1 joint

1 extension bar : 75 mm - 1 sliding handle - 1 screwdrivers

handle - 1 bit-holder socket- 12 screwdriver bits :

2 Slotted: 4/5.5 mm-2 Phillips: PH1/PH2-2 Pozidriv: PZ1/PZ2

4 Hexagonal: H3/H4/H5/H6-2 Torx T30/T40

0000983401

1/2"-6 POINT



Size. 245x120x38.5 mm

20 6-point sockets: 8-9-10-11-12-13-14-15-16-17-18-19-20

21-22-23-24-27-30-32 mm

1 repairable Premium round ratchet

1 joint

2 extension bars : 125-250 mm

1 sliding handle

0000998001



MOBEST

THROUGH-GOING RATCHETS AND SOCKETS



ACCESSIBILITY

Threaded rods pass through ratchets and sockets without interfering with clamping.

2 IN 1

2 ratchets in 1: adapters allow ratchet to fit traditional sockets.

PERFORMANCE

Reversible for quick change of direction. 5° return angle.



MEDIUM BOX / 14 PIECES



HDPE box-size 270 x 215 x 60 mm-Thermoformed
MEDIUM :10 through sockets: 10-11-12-13-14-15-16-17-18-19 mm
 1 through ratchet
 1 through-hole extension 75 mm
 2 $\frac{1}{4}$ " and $\frac{3}{8}$ " adaptors

10 mm 19

9400010001



MIXED SMALL AND MEDIUM BOX / 59 PIECES



HDPE-size box 405 x 225 x 60 mm-Foam insert
SMALL :13 through sockets: 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14 mm
 1 through ratchet - 1 through extension 75 mm
 1 ratchet bit holder - 1 screwdrivers handle 1 bit holder
 24 screwdriver bits (6 slotted + 3 Phillips + 3 Pozidriv + 6 hexagonal + 6 Torx)
MEDIUM : 13 through sockets: 10-11-12-13-14-15-16-17-18-19-20-21-22 mm
 1 through ratchet - 1 through extension 75 mm
 2 $\frac{1}{4}$ " and $\frac{3}{8}$ " adaptors

4 mm 22

9470059001



QUALITY

Designed to withstand the stresses of power tools :
 impact wrenches, screwdrivers...
 High-quality steel and heat treatment for maximum
 resistance and long service life.

SHORT IMPACT SOCKETS 10 PIECES



$\frac{1}{2}$ "-6 POINT

Metal case - Size.305 x 42 x 45 mm
 10-11-12 -13-14-17-19-21-22-24 mm
 Pins and locking rings supplied in the box
 DIN899, DIN3121 and DIN3129 compliant

9212010501

10 mm 24



DEEP IMPACT SOCKETS 10 PIECES



$\frac{1}{2}$ "-6 POINT

Metal case
 Size. 325 x 160 x 50 mm
 10-11-13-14-16-17-19-21-22-24 mm
 Pins and locking supplied in the box
 DIN899, DIN3121 and DIN3129
 compliant

9222010501

10 mm 24



SECURITY PINS AND LOCKING RINGS

For your safety,
 remember to lock
 sockets with
 pin and locking rings

Size	Ref
Squared $\frac{1}{2}$ " : 8-14 mm	9299140501
Squared $\frac{1}{2}$ " : 15-32 mm	9299990501
Squared $\frac{3}{4}$ " : 19-46 mm	9299460501





RATCHETS AND SOCKETS

RATCHET ROTATING HEAD



FREELY ROTATABLE HEAD

IDEAL FOR CONFINED SPACES

Can be used as a conventional screwdriver in the 0° position, and as a ratchet in the 90° position

Other positions possible between 15° and 90°

100-tooth fine ratchet teeth, 3.6° recovery angle

Tightening direction reversed around the entire circumference of the head


Socket ejection button

Bimaterial handle

1/2"



1/4"



100 teeth / 3,6°
Eject button

Quick direction
change



BOX 1/4"

46 PIECES

1/4"-6 POINT

HDPE case-size: 135 x 215 x 60 mm-Foam insert

12 6-point sockets: 4-5-5.5-6-7-8-9-10-11-12-13-14 mm

1 round ratchet 100 teeth

2 extensions: 50-125 mm

1 bit-holder socket

30 screwdriver bits:-4 Slots: 3-4.5-5.5-8

- 5 Phillips: PH1-PH2x2-PH3x2-5 Pozidriv: PZ1-PZ2x2-PZ3x2

- 10 Torx: T7-T8-T9-T10-T15-T20-T25-T27-T30-T40

- 6 Hexagonal: H3-H4-H5-H6-H8-H10



9416046101



BOX 1/2"

22 PIECES

1/2"-6 POINT

HDPE case-size: 405 x 225 x 60 mm-Foam insert

17 6-point sockets: 8-10-11-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm

1 round ratchet, rotating head, 100 teeth

2 extensions: 125-250 mm

1 universal joint

1 sliding handle



9436022001

REPAIRABLE RATCHET

Repair

Don't throw away, fix it!

EXTENDING USEFUL LIFE BY REPAIRING
IS A GREAT WAY OF WORKING FOR THE
FUTURE.



Flash this to see
the video!



THE ADVANTAGE OF A RATCHET IS ITS SPEED. YOU MUST NOT FORCE ON THE MECHANISM OR IT WILL BREAK. IF IT HAPPENS, OUR FAST AND ROUND RATCHETS CAN BE REPAIRED DUE TO THEIR CONCEPTION.

GARANTEE

A product under warranty can be repaired by us, or by yourself if you wish, thanks to our kits and tuto-video.

The lifetime warranty applies in the event of a defective product. However, there are a number of cases of excessive use that fall outside the scope of this warranty, such as a ratchet that has been forced or knocked. In such cases, repairs or kits are at your expense. Repair kits are themselves covered by the warranty, with no time limit. So, even if you use the kit to do the repair yourself, the warranty continues to apply.





PRECISION AND RELIABILITY AT THE SERVICE OF INDUSTRY

**You control the torque,
we control the quality!**



Flash this to see
the video!

Torque wrenches, particularly mechanical models with vernier adjustment, are essential tools in the industrial sector and are even mandatory in certain activities. MOB offers an exclusive service to support users of MOB torque wrenches, as well as those choosing our products for the first time.

In accordance with standard NF ISO 6789-1 (2017 version), MOB offers:

Verification and recalibration of your torque wrenches.

Special standard exchange offer when the wrench is too damaged to be repaired.

Standard Exchange: A New Product + 5-Year Warranty

Enjoy a new product with a 5-year MOB warranty covering any manufacturing defects:

- Ratchet breakage
- Breakage of the internal trigger mechanism
- Breakage of the tube

**With MOB, you benefit from sustainable performance
that meets the most stringent requirements.**




INITIAL



ACCURACY +/- 4%

- Trigger wrench
- Locking button
- Double scale + micrometric dial
- Resistant Bi-material handle
- Identification number engraved on the wrench
and specified on the Declaration of Conformity
or Calibration Certificate



Square	Nm	Ref.
3/8"	5-50 N.m	9074053801
1/2"	10-100 N.m	9074101201
1/2"	20-200 N.m	9074201201
1/2"	60-300 N.m	9074341201

STANDARDS Our torque wrenches meet the requirements of national and international standards BS EN 26789 - ISO 6789 - USA GGG-W-00686



FIXED AND VARIABLE OPENING WRENCHES

COMBINATION WRENCH WITH RATCHET



PRATICAL

New reversing lever, easy to use
Integrated ratchet.
Prevents accidental reversal.
Unique design with possibility to repair the mechanism.

EFFICIENT

5° return angle
Reversible for quick change of direction
Hardened Chromium Vanadium steel 48 HRC +/- 2
Space-saving: head inclined at 15°.

MOBEST

WELL-ORDERED WRENCHES



Set of combination wrenches **x7**
Size. : 8-10-11-13-14-17-19 mm

9002M07001

Set of combination wrenches **x10**
Size : 8-10-11-12-13-14-16-17-18-19 mm

9002M10001

Set of combination wrenches **x12**
Size. : 8-9-10-11-12-13-14-15-16-17-18-19 mm

9002M12001



Cardboard box **x6**
Size. : 8-10-12-13 17-19 mm

900200030



Cardboard box **x10**
Size. : 8-10-11-12-13
15-16-17-18-19 mm

9002000401

BOX / X7

HDPE box size. 270 x 215 x 60 mm
THERMO
7 combination wrenches with
ratchet: 8-10-12-13-14-17-19 mm

9002000101






COMBINATION WRENCH



STRENGTH AND DURABILITY

Guaranteed dimensional accuracy.
Very low backlash shows high quality standard.
15° inclination for use in tight spaces.
30° recovery angle



Far superior resistance to standard wrenches.



Profile of the eye protecting nuts



Set of combination wrenches **x7**

Size. : 8-10-11-13-14-17-19 mm

9000M07001



Set of combination wrenches **x12**

Size. : 7-8-10-11-12-13-14-16-17-19-22-24 mm

9000M12001



Compact

Set of combination wrenches **x10**

Size. : 8-10-11-12-13-14-16-17-18-19 mm

9000M10001

WRENCHES MANUFACTURED IN OUR FACTORIES



Dimensional accuracy thanks to key broaching



Keys after tribofinishing



Quality testing of production

LIFESPAN

Durability is achieved by using forged alloy steel. Our controlled heat treatment process guarantees enough hardness to withstand high pressure.

DIMENSIONAL ACCURACY

The keys are opened by broaching, a technology that enables us to obtain very precise dimensions with a high quality surface finish, thus avoiding damage to the wrench or nut.

PROTECTED PROFILE

The profile of the polygonal heads has been specially designed to avoid damaging the nut corners. When force is applied, the pressure is not exerted on the corners but on the sides of the nut.



Cardboard box **x8**

Size. : 8-10-11-13-17-19-22-24 mm

9000000101



FIXED AND VARIABLE OPENING WRENCHES

MOBEST

WRENCH WITH RATCHET 4X4

1 WRENCH = 4 SIZES



On card x1
Size. : 10-13-17-19 mm

9003101001



On card x2
Size. : 8-10-12-13
and 16-17-18-19 mm

9003001001



4 SIZES PER WRENCH

Extremely compact
Ideal for roaming or key duplication

PERFORMANCE

5° recovery angle: high-performance in tight spaces
Reversibility for quick change of direction: optimized productivity.

SAFETY

2 integrated reversers included: no risk of accidental reversal

FINISH

Satin-polished chrome to prevent glare

ARTICULATED RATCHET WRENCHES



In cardboard box x5
Size. : 8-10-13-17-19 mm

9008005001



ARTICULATED WRENCH


Suitable for hard-to-reach areas
Clears and secures the hand against injury.

QUALITY

Hardened Chrome Vanadium steel 48 HRC +/- 2

180° ARTICULATION

Easy to handle



TRANSFORM YOUR COMBINATION RATCHET WRENCHES INTO REAL RATCHETS THANKS TO 3 ADAPTERS.

- HDPE box - size. 405 x 225 x 60 mm-Foam insert
- 8 combination wrenches with ratchet: 8-10-11-12-13-15-17-19 mm
- 12 square 1/4" sockets: 4-5-5.5-6-7-8-9-10-11-12-13-14 mm
- 7 1/2" square sockets: 10-13-14-16-17-18-19 mm
- 3 adapters: 1/4-1/2 bits
- 14 screwdriver bits :
 - 2 slots: 4-5.5
 - 2 phillips: PH1-PH2
 - 4 Hexagonal: H3-H4-H5-H6
 - 6 Torx: T10/T15/T20/T25/T30/T45



9436044001

ADAPT BOX / 44 PIECES



LARGE CAPACITY MULTIFUNCTION BOX






SET OF SOCKET PIPE WRENCHES

NOVELTY

- . Complies with NF ISO 2236 standard.
- . Chamfer designed to facilitate key engagement.
- . Forged wrenches in alloy steel with high-performance heat treatment.
- . Satin chrome finish.
- . 95° wrench angle.
- . Large clearance depth



Set of socket pipe wrenches 6x6 **x8**


Dim. : 7-8-10-13-16-17-18-19 mm

9015M08001





QUALITY :

High-quality, forged and hardened alloy steel.




ACCESSIBILITY :

95° wrench angle to facilitate hand clearance from the clamping surface
 Large screw depth on the right-hand side
 Open-end wrench: threaded shank protrusion does not interfere with tightening.



ENTRANCE CHAMFER:

Fosters wrench commitment.



SOCKET PIPE WRENCHES 6X6

In a box **x10**

Size. : 7-8-9-10-11-13-16-17-18-19 mm

9015000201

In a box **x12**

Size. : 7-8-10-11-12-13-16-17-18-19-22-24 mm

9015000401





FIXED AND VARIABLE OPENING WRENCHES

NOVELTY

SELF-ADJUSTING RATCHET WRENCHES

Chromium-vanadium



DURABILITY

Chromium-vanadium steel: ultra-resistant
Versatility

180° swivel head: easy access in all positions

COMFORT

Ergonomic Bi-material handle: better grip and reduced fatigue

EFFICIENCY

Self-tightening teeth: optimal hold
Ratchet-effect tilt locking system: saves time and increases efficiency

2 DIMENSIONS

MULTI-PROFILE NUT

8 → 17 mm

14 → 32 mm



5/16" → 11/16"

9/16" → 1-1/4"



Head adjustable 180°



Capacity in inches

Capacity in mm

Ref.

5-16" to 17/16"

8 to 17 mm

9080011001

9/16" to 1-1/4"

14 to 32 mm

9080021001

MOBEST

4-IN-1 SCAFFOLDING WRENCH


REVERSIBLE RATCHET WRENCH
19 MM ON ONE SIDE
AND 22 MM ON THE OTHER

FOLDING NAIL
PULLER


4 in 1



Key point
Hammer
Folding nail puller
Ø 5mm drill hole on handle.
A wrist strap is included,
already mounted on the product.



22 mm




19 mm

9039191001



RATCHET WRENCH

NOVELTY



40/50 HRC 10"/250 mm



CLAMPING AND LOCKING

STRENGTH AND DURABILITY

Forged steel: controlled heat treatment 40/50 HRC. The movable jaw guide is designed for greater resistance to torsion.

ERGONOMICS

Ergonomic bi-material handle for a perfect grip during powerful tightening and loosening operations. Head with millimeter graduation.

RATCHET EFFECT

Self-tightening teeth: optimal hold. Tilt locking system with ratchet effect: saves time and increases efficiency. The rack protrudes only slightly to reduce bulk when the wrench is at its maximum opening. The angle of the jaws is designed to allow the hand to pass through. Recovery angle - 15 degrees


Capacity 32 mm

9042251001




MOBEST

ADJUSTABLE WRENCHES



Bi graduation in millimeters and inches



Scroll wheel protected by push buttons

Exclusive system and patent no. 02.03790

Minimal bulk

Maximum opening



ADJUSTABLE TORQUE WRENCH

mm/inches	Capacity in mm	Ref.
200/8"	28,5	9045200001
250/10"	33	9045250001
300/12"	38,5	9045300001

ACCESSIBILITY:

Slim head and low-profile rack

STRENGTH AND DURABILITY:

The torque wrench exceeds the strength tests set out in ISO 6787 and NF E 74-324 standards. The torque achieved is exceptional.

The very low play is testament to the quality of the wrench.

RELIABILITY:

Press button: no accidental misalignment (registered design).





NOVELTY

2-IN-1 SCREWDRIVER HANDLE



SCREWDRIVER BIT HOLDER + 1/4" SOCKET HOLDER

REDGRIP

Bi-material screwdriver handle with a 6-lobe shape for a comfortable and powerful grip.

2-IN-1 USE

Screwdriver bit holder and 1/4" socket holder on the same tool. To change the use, simply slide the black ring from bottom to top.

ACCURACY

Complies with DIN 3120 and DIN 3126 standards.

2ⁱⁿ
EN1

9283130001



32 BITS HOLDER

EASY TO IDENTIFY: thanks to the coloured rings

BITS HOLDERS: Autolock magnetic

100% OPENING: Easy access to bits Clips to belt or fits in pocket

Plastic case size: 80 x 85 x 35 mm
32 color-coded screwdriver bits:



x1 Autolock magnetic bit holder 60 mm



25 mm



x5 Slotted: 4-4,5-5,5-6,5-8



x4 Phillips: PH0-PH1-PH2-PH3



x8 Pozidriv: PZ0-3 x PZ1-3 x PZ2-PZ3



x8 Hexagonal: H1,5-H2-H2,5-H3-H4-H5-H6-H8



x7 Torx: T10-T15-T20-T25-T27-T30-T40



9461000001



MOBEST

SCREWDRIVER BIT SET / 113 PIECES

Box size: 208 x 170 x 45 mm-Plastic case



RESISTANCE

S2 silicon steel offers better resistance and superior hardness compared to CrV steels.



x2 Bit holders



25 mm



x8 Slotted : 3-4-4,5-5,5-6-6,5-7-8



x17 Phillips : PH0-PH1x5-PH2x7-PH3x3-PH4



x19 Pozidriv : PZ0-PZ1x6-PZ2x8-PZ3x3-PZ4



x14 Hexagonal: H2-H2,5-H3-H4x3-H5x3-H6x3-H7-H8



x17 Torx : T8-T10x2-T15x2-T20x3-T25x3-T27-T30x3-T40x2



x7 Tamper torx : TT10-TT15-TT20-TT25-TT27-TT30-TT40



x4 Square : 0-1-2-3



x4 Spanner : 4-6-8-10



x4 Triwing : 2-3-4-5



x4 Torqset : 5-6-8-10



75 mm



x2 Phillips : PH1-PH2



x2 Pozidriv : PZ1-PZ2



x4 Hexagonal : H3-H4-H5-H6



x5 Torx : T10-T15-T20-T25-T30

QUALITY

A range of 111 high-quality S2 tips, guaranteed to NF ISO 1173/DIN 3126.

BROAD COMPOSITION


111 bits, 10 different indentations including 4 special indentations, 2 bit holders

2 LENGTHS, 25 AND 75 MM EASY TO IDENTIFY

thanks to the coloured rings.



9460113001





SCREWDRIVER BITS

MOBEST


2 IN 1 ADAPTOR BOX / 115 PIECES

SOCKETS AND BITS ADAPTER FOR SOCKETS AND SCREWDRIVER BITS. ADAPTER CAN BE CHANGED BY SIMPLY SLIDING ON.

2 in 1



x1 2 in 1 Adaptor



75 mm

- x2 Phillips : PH1-PH2
- x2 Pozidriv : PZ1-PZ2
- x4 Torx : T10-T15-T20-T25
- x2 Hexagonal : H4-H5



25 mm

- x8 Slotted : 3-4x2-4.5-5.5-6.5x2-8mm
- x18 Phillips : PH0x2-PH1x5-PH2x8-PH3x2-PH4
- x17 Pozidriv : PZ0x2-PZ1x5-PZ2x7-PZ3x2-PZ4
- x18 Torx : T8-T10x3-T15x3-T20x3-T25x3-T27-T30x3-T40
- x7 Tampor Torx : TT10-TT15-TT20-TT25-TT27-TT30-TT40
- x15 Hexagonal : H2-H2.5-H3-H4x3-H5x3-H6x3-H7-H8-H10
- x4 Square : 0-1-2-3
- x4 Spanner : 4-6-8-10
- x4 Triwing : 2-3-4-5
- x4 Torqset : 5-6-8-10
- x5 Squared sockets 1/4" : 7-8-10-12-13 mm




Flash this to see the video !



QUALITY

Chromium-vanadium-manganese alloy steel
Bit holder: 6.35 mm snap ring, DIN 3126, length 80 mm
Socket holder : square 1/4", DIN 3120, length 70mm, plunger lock.



9416115001

XS BOX / 39 PIECES

1/4"

- Sockets and bits-HDPE case 175 x 110 x 40 mm
- 7 1/4" sockets: 4-7-8-10-12-13-14 mm
- 12-in-1 wrench
- 1 extension 125 mm
- 30 screwdriver bits :
 - 5 Slotted : 4-4.5-5.5-6.5-8
 - 6 Pozidriv: PZ0-PZ1x2-PZ2x2-PZ3
 - 4 Phillips: PH0-PH1-PH2-PH3
 - 7 Torx: T10-T15-T20-T25-T27-T30-T40
 - 8 Hexagonal: H1,5-H2-H2,5-H3-H4-H5-H6-H8



9410390001



PRACTICAL

Resistant to solvents and hydrocarbons
Printed foam padding for easy location
Lateral swivel clasp : will not open if dropped

1 side 1/4" ratchet




1 bit holder side



EXTRA LONG BIT HOLDER 350 MM



SMALL SPACE REQUIREMENT



SET XL3 13 PIECES

- x1 2 in 1 handle
- x3 Magnetic biholder
- x1 Slotted : 6,5 mm
- x3 Phillips : PH1-PH2-PH3
- x2 Pozidriv : PZ1-PZ2
- x3 Torx : T15-T20-T25

2 POSITION HANDLE



L/65/150/350

3 XL3 BIT HOLDERS



Flash this to see the video !

9463001001



350 mm

SCREWING BOX / 115 PIECES

MOBEST



9416107001

QUALITY
High-quality S2 tips.
Guaranteed to NF ISO 1173 standard

BIT HOLDERS
Autolock magnetic

PRATICAL
Endcap retention system on swivel bars

- x1 Screwdrive handle
- x1 Magnetic tool holder
- x1 Bit holder socket 1/4
- 25 mm
- x7 Slotted : 3.5-4-5.5x2-6.5-8
- x23 Phillips : PH0 X2 -PH1X5 -PH2X10 - PH3X2-PH4
- x20 Pozidriv : PZ0 - PZ1X5 - PZ2X11 - PZ3 X2 - PH4
- x25 Torx : T6-T7-T8-T9-T10X2-T15X2-T20x8-T25X2-T27-T30X3-T40X2-T50
- x5 Tamper Torx : TT10-TT15-TT20-TT30-TT40
- x20 Hexagonal : H1.5X2-H2X2-H2.5X2-H3X2-H4X2-H5X3-H6X3-H7-H8X2-H10
- x4 Square : 0-1-2-3
- x4 Spanner : 4-6-8-10
- x3 Triwing : 2-3-4
- x4 Torqset (4 wing) : 5-6-8-10

INNOVATION

UNO: SCREWDRIVERS ALWAYS IN ORDER!



SAFETY

Blades don't overflow.
No risk of injury when searching for a screwdriver.

PRATICAL

Efficient storage and ultra-fast identification of the right screwdrivers.
A quick glance to check for missing screwdrivers.
Screwdriver locking system through the blade.
Perfect stability of the Set on flat surfaces

UNO Slotted-Phillips x6

- 4x100-5,5x125-6,5x150
- 8x150
- PH1-PH2

9127061101

UNO Slotted -Pozidriv x6

- 4x100-5,5x125-6,5x150
- 8x150
- PZ1-PZ2

9127061201

SAVES SPACE IN THE TOOLBOX




FITS EASILY IN THE HAND



ULTRA-FAST IDENTIFICATION



BIMATERIAL SCREWDRIVERS



POWERFUL

High torque thanks to 6 neoprene lobes.

FAST

Round, slimmed body for fast retrieval.

VISIBLE

Color-coding for easy fingerprint identification.

QUALITY

Chrome vanadium steel quality.
Phosphated impression for better grip.
No risk of splintering.



x6 Slotted-Phillips

- 4x100-5,5x125
- 6,5x150-8x150
- PH1-PH2

9129001101



x6 Slotted-Pozidriv

- 4x100-5,5x125
- 6,5x150-8x150
- PZ1-PZ2

9129001201



x6 Tamper Torx

- TT10-TT15
- TT20-TT25
- TT27-TT30

9129000501



x10 Slotted-Phillips-Pozidriv Torx-Magnetizer

- 4x100
- 6,5x150
- PH1-PH2
- PZ1-PZ2
- T15-T20-T25-T30

1 magnetizer/demagnetizer included

9129000801





MOBEST

PRECISION SCREWDRIVERS

micro



PRATICAL

Satin chrome finish blade.
Colored rings for easy identification.
Pivoting head and rear of screwdrivers designed for use in different positions.



x6

2-2.5-3

PH00-PH0-PH1

9169010001



x12

1.5-2-2.5-3

PH00-PH0-PH1

T6-T7-T8-T9-T10

9169020001



S2 MAGNETIC HEX WRENCHES




MAGNETIC

Genuine built-in magnet,
does not lose its magnetization.
Soft, anti-slip, anti-grease PVC sheathing.



RESISTANCE

Silicon steel S2 offers superior strength
and higher hardness than CrV steels



Hexagonal spherical

x9

Size : 1,5-2-2,5-3
4-5-6-8-10 mm

9061020101


Torx and Tamper Torx

x9


Size : TT10-TT15-TT20
TT25-TT27-TT30-
TT40-TT45-TT50

9064020101

WALLET OPENING



IDEAL FOR INSTALLING OR REMOVING SCREWS IN DEEP OR HARD-TO-REACH SPOTS



CHROME VANADIUM

CRV
Chrom-Vanadium

PROFESSIONAL QUALITY
NF ISO 2936 GUARANTEE



Short Hexagonal

x9 

Size : 1,5-2-2,5-3-4-5-
6-8-10 mm

9062010101



**Hexagonal
Long
spherical**

x9 

Size : 1,5-2-2,5-3
4-5-6-8-10 mm

9061010101



**Torx
spherical**

x8 

Size : T9-T10-T15 T20
T25-T27-T30-T40

9066010201



**Tamper
Torx**

x8 

Size : TT9-TT10-TT15-TT20-
TT25 TT27-TT30-TT40

9064010101



PROTANIUM

Protanium
HIGH TORQUE STEEL

RESISTANCE

Special steel 5 times
more resistant to corrosion
than conventional steel
High dimensional precision

**TORQUE RESISTANCE
AND EXCEPTIONAL
TORSION RESISTANCE**




**Long
spherical**

x9 

Size : 1,5-2
2,5-3-4-5
6-8-10 mm

9051010101





MOBEST

MULTIGRIP PLIERS

FORTISSIMO



OPENING
Maximum opening 50 mm
16 adjustment positions

ROBUST QUALITY

- Overlapping construction
- Durable and reliable
- Multi profile diamond shaped grip
- Anti-slip serrated area
- Forged steel head, chrome-plated
- Practical in hard-to-reach places
- For all work at height
- No risk of snagging

6484241001

**AUTO ADJUSTMENT.
AND ULTRA-FAST.
NO BUTTONS.**



SELF-LOCKING


- Adjustment directly on the part: place the upper jaw on the part to be worked on and push the lower arm. No buttons to operate near the head, no need for multiple attempts to find the correct spacing.
- The clamp can be placed and then removed: the adjustment is retained. To cancel the adjustment, simply open the arms.



Scan this code to watch the video!

TAPERED TIPS PLIERS

NOVELTY



Opening max. 44 mm




ACCESSIBILITY

Tapered tips and reduced bulk for more precise gripping and better accessibility.

COMFORT

Handles coated with a comfortable, non-slip material, and designed for a comfortable grip.



6485241101

CAPACITIES AND DIMENSIONS

- Number of positions: 7
- Parallel jaw opening capacity: 38 mm
- Nut grip capacity: 41 mm max.
- Tube grip capacity: 44 mm max.
- Clamping depth: 42 mm max.
- Overall height of jaws: 29 mm
- Length: 244 mm - Weight: 300 g


FINESSE AND RESISTANCE

- Hot forged: longer service life under intensive use.
- High-frequency induction-hardened grip zone for high wear resistance and maximum durability.
- Jaw shape suitable for round, hexagonal, and square grips.
- Anti-slip serrated zone on nuts and round parts.
- Knurled table: improves grip on thin parts at the tips of the jaws.
- Assembly with anti-loosening rivet: limits play between the two branches of the pliers.
- High-performance heat treatment of jaws: 51-56 HRC.

SAFETY

- Anti-finger trap system.
- Chrome finish: better protection against corrosion.

STACKED MULTI-GRIP PLIERS



6480240001

MAXIMUM OPENING 40 MM

- Washable PVC branches
- Length 240 mm
- Multi profile diamond shaped grip
- Anti-slip notched area
- Induction-treated grip area for maximum durability
- 7 adjustment positions
- Anti-finger pinch safety feature
- Highly refined machining for optimal grip



MOBEST

BECAUSE CUTTING AND HANDLING ARE KEY TO THE QUALITY OF A RANGE OF PLIERS

BETTER CUTTING PERFORMANCE


Offset axis for maximum «high leverage»

PERFORMANCE AND DURABILITY

Superior steel quality: Chromium Molybdenum, an alloy renowned for its high mechanical qualities, and in particular its toughness
 Hardened cutting edges for longer tool life
 Optimal cutting edge geometry
 Cutting pliers are designed to cut all types of wire and strip.

DESIGNED HANDLE FOR ENHANCED ERGONOMICS

- 1-More pronounced guarding
- 2-Easier opening
- 3-Wider handles : less muscular effort
- 4-Refined end zone: better protection of the carpal tunnel



SET OF 3 BIMATERIAL PLIERS



- 1 x 160 mm cutting pliers
- 1 x universal 180 mm
- 1 x needle nose groove plier

0000989001

LOCKING PLIERS



Short Jaw

Size. : 220 mm

9306220001



Long Jaw

Size. : 250 mm

9306250001



High capacity

Size. : 270 mm

9306280001



ONE-HAND UNLOCKING

By rear lever

CLAMPING PERFORMANCE

Adjustable clamping force via thumbwheel

JAW PERFORMANCE

Forged Chromium-vanadium steel jaws for high wear resistance
 Powerful grip thanks to full-depth toothing
 Easy gripping of round parts in axial position thanks to machined groove on upper jaw



MOBEST

BOLT CUTTERS FORGED ARMS

**AXIAL CROSS-SECTION.
TEXTURED HANDLES**

ROBUST

Fully forged arms:
Crush-proof.
Resistant to extreme worksite conditions.
Resistant to accidental twisting: can be straightened.
Anti-slip, anti-cold grip.

CUTTING PERFORMANCE

Cutting capacity up to 16 mm diameter
Non-deformable forged blades
High-strength Chromium vanadium molybdenum steel
Selective induction hardening of cutting edges
Exclusive geometry for greater opening
Screw heads for greater compactness than bolts
Protective plate to prevent accidental unscrewing



Size. mm	80 daN/mm ²	Ref.
600	∅ 10	0514060610
750	∅ 12	0514070610
900	∅ 14	0514080610

BOLT CUTTERS TUBE ARMS

**AXIAL CUTTING AND SOFT
ERGONOMIC HANDLES**



CUTTING PERFORMANCE

Cutting capacity up to 16 mm diameter
Form-stable forged blades
High-strength Chromium Vanadium Molybdenum steel
Selective induction hardening of cutting edges
Exclusive geometry for wider opening
Screwed heads for greater compactness than bolts
Protective plate to prevent accidental unscrewing

EASE TO USE

Simple blade gap adjustment by 1 single eccentric screw.
Tip: leave a gap between the 2 blades to avoid damage.
Simple blade change with 2 screws



Size. mm	80 daN/mm ²	Ref.
450	∅ 8	0515060610
600	∅ 10	0515070610
750	∅ 12	0515080610



MOBEST

METAL SAW

IDEAL FOR INTENSIVE WORK

MetalCut



EXCEPTIONAL RESISTANCE

- Tension: 190 Kg
- Strong, durable steel structure
- Hand rest
- Supplied with a flexible bimetal cobalt HSS blade

PRECISION

- Guided by the little finger, the most precise because it is closest to the cut
- Blade tension adjustment

ERGONOMY

- Lever above the handle: no discomfort, no risk of mishandling
- Double elastomer handle: reduces fatigue and increases performance 10 teeth/cm



TENSION 190 KG !

6309000001



45°



90°



TOPSECURITY CUTTER / 25 MM



SELF-RETRACTING

- 30% of injuries occur at the end of the cut (source CNAMTS)


SELF-RETRACTABLE DOUBLE SAFETY :

- Button retention
- The blade retracts as soon as it is no longer in contact with the material to be cut

+10 x 25 mm trapezoidal blades

6228011001

ALUMINIUM METAL SAW / 450 MM



- Die-cast aluminium handle
- Square tube
- Tension by wing nut

6369240010

END CUTTING PLIER / 250 MM



Ø CUTTING WIRE 1.6 MM
CUTTING FORCE (N) 415

6350250001

RESISTANCE

- Optimum, long-lasting cutting edge (hardness 50-54 HRC)
- Ultra-resistant wide rivet
- Red epoxy paint for greater corrosion resistance
- Wide, spatulated handles for greater power and comfort

SHEARS / 210 MM



HIGH CUTTING POWER

0361200401

ERGONOMY

- 2 opening positions : for small and large hands

IN STAINLESS STEEL

- (including screws and spring)
- Thread-cutting function Self-sharpening of the cutting edge by crossing the blades.

PUNCH SET WITH GASKET CUTTING TOOLS

SET OF CUTTERS Ø 3 TO 30 MM (PAIR)

Threaded tubes Ø 3-4-6-8-10 mm

Smooth tubes Ø 12-14-16-

18-20-22-24-26-28-30 mm

Centring handle



USE

Joint cutters can be used to cut soft materials (rubber, leather, felt, foam, Teflon, etc.) or reinforced materials such as fibreglass or steel (up to 0.3 mm).

SPECIFICATIONS

The strength of the tubes is between 162 and 180 kg/mm²



8004309001

Factory quality control





MOB LEADER IN HAMMERS FOR THE INDUSTRY 550,000 HAMMERS MANUFACTURED PER YEAR




HEAD STEEL QUALITY

High-carbon steel.
Forged heads for perfect fiberization and superior strength.
Double hardening and selective zone hardening thanks to induction heat treatment.



HIGH-PERFORMANCE FITTING

Hydraulic press-fit, with load cell and pressure sensor.
Pull-out performance is 400% better than the norm, and is the hallmark of MOB outillage.



A PERFECT FINISH


Finely polished working parts.
Electrostatically applied epoxy powder paint, followed by oven baking.

MOBEST

HAMMER WITH CARBON HANDLE

4 MATERIALS

1. **Carbon fiber** : 2 sets of carbon fiber. Striking is dry, easy, powerful and precise.
2. **Fiberglass** : Extreme resistance to bending, a major anti-breakage feature.
3. **Polypropylene** : Hammer resistance to impact.
4. **Elastomer** : Soft, ribbed grip with "anti-blister" firmness. Allows hammer to be gripped along its entire length.



Carbon



Flash this to see the video !

100% MADE IN FRANCE

Head forged at our Le Chambon Feugerolles factory and four-material handle injected at our Ambierle factory



IDEAL FOR STRONG STRIKES

Height mm	Head weight g	Ref. HICKORY
30	400	0001300701
32	500	0001320701
36	630	0001360701
40	800	0001400701
42	1000	0001420701
50	1500	0002500701



HAMMER WITH WOOD HANDLE

Genuine American Hickory



HICKORY HANDLE

Wood with greater density, ideal for strong strikes

Height mm	Head Weight g	Ref. HICKORY
30	400	0001300301
32	500	0001320301
36	630	0001360301
40	800	0001400301
42	1000	0001420301
50	1500	0002500301



From sustainably managed forests



ASH HANDLE

Ideal for light to medium duty

Height mm	Head weight g	Ref. HICKORY
30	400	0001300201
32	500	0001320201
36	630	0001360201
40	800	0001400201
42	1000	0001420201
50	1500	0002500201





DUO HAMMER

INNOVATION

SOFT AS A SLEDGEHAMMER POWERFUL AS A HAMMER



NYLON TIP



DUO



TPE TIP

1 HAMMER SIDE

A real hammer, with the same power as a Rivoir hammer. Same weight, same balance and same quality

1 SLEDGEHAMMER SIDE

For a "soft hit" that won't mark delicate parts.

White nylon: 65-70 ShoreD

Red TPU: 40-50 ShoreD

Black rubber: 90 ShoreD

2 IN 1

Practical, compact 2-in-1 product

2 tools in one hand, just turn

No need to change tools

INNOVATION

Patented process, unique on the market (Patent Pending).

Designed and manufactured in France.



Flash this to see the video!



RUBBER TIP

Height mm	Tip diameter mm	Head weight g	Ref.
DUO HAMMER WHITE NYLON TIP			
27	Ø 27	340	0390270701
32	Ø 32	530	0390320701
35	Ø 35	660	0390350701
40	Ø 40	1000	0390400701
50	Ø 50	1580	0390500701
NEW 2025 DUO HAMMER RED TPU TIP			
32	Ø 32	340	0390329701
35	Ø 35	530	0390359701
40	Ø 40	660	0390409701
NEW 2025 DUO HAMMER BLACK RUBBER TIP			
35	Ø 35	340	0390358701

Diameter	Ref.
WHITE NYLON TIP	
Ø 27	0371271001
Ø 32	0371321001
Ø 35	0371351001
Ø 40	0371401001
Ø 50	0371501001
NEW 2025 RED TPU TIP	
Ø 32	0371329001
Ø 35	0371359001
Ø 40	0371409001
NEW 2025 BLACK RUBBER TIP	
Ø 35	0371358001

PROTECT HAMMER MODEL

ROBUSTNESS AND DURABILITY

Tamper-proof metal bushing extends hammer life

OPTIMUM SAFETY

The bushing is not simply a ring added to the underside of the head: it passes through the head and is pressed in at the same time as the handle, guaranteeing optimum press-in resistance and an unremovable bushing.

STEEL KICKBACK GUARD



Chrome-plated steel through bushing. Round steel corner



Height mm	Head weight g	Ref.
32	500	0001329301
36	630	0001369301
40	800	0001409301
45	1250	0002459301
50	1500	0002509301
55	2000	0002559301

INNOVATION FORGED MALLET WITH INTERCHANGEABLE TIPS CARBON HANDLE

0392350701

Carbon



SAFETY

Unbreakable handle and unbreakable connection between head and handle: wedge + resin.
Pull-out performance 1.5 times the standard.
Safety instructions on handle.

COMFORT


Ergonomic handle.
Precise strike
Additional side strike.

TIPS

Ø35 mm
Nylon (white): 65 - 70 Shore D
TPU (red): 40 - 50 Shore D

4 MATERIALS

- 1. CARBON FIBER** : 2 sets of carbon fiber. Easy, powerful and precise strike
- 2. FIBERGLASS** : Extreme resistance to bending, a major anti-breakage feature.
- 3. POLYPROPYLENE** : Hammer resistance to impact.
- 4. ELASTOMER** : Soft, ribbed grip with "anti-blister" firmness. Allows hammer to be gripped along its entire length.



NOVELTY DOUBLE HARDNESS RUBBER HAMMER MALLET

POLYVALENCE

Head with 2 different hardnesses for striking delicate parts without marking them.
White side: hardness 70 +/-5 Shore A.
Black side: hardness 85 +/-5 Shore A.
Striking Ø: 60 mm.

RESISTANCE

Tapered shank for greater impact resistance.

DURABLE

Handle with Ash wood: PEFC label.
Wood from sustainably managed forests



0366600201



COLD CHISEL

PATENTED

SAFETY HEAD
Prevents « mushrooming » effect

QUALITY GUARANTEE MANGANESE SILICON

Superior quality steel,
forged and hardened for a more
aggressive and resistant.
Through-hardened.



Size. mm	Ref.
200 mm	7210200001
250 mm	7210250001

BIMATERIAL HANDLE CHISELS/ 250 MM

BIMATERIAL KICKGUARD

Bimaterial comfort
Inner blades designed
to absorb striking vibrations
Lifetime regrindability
(hardened forged steel, Silicon quality)
Extremely high striking efficiency



7210250201

PIN PUNCH SET 3-4-5-6-8 MM

- 1-1 hardened steel pins
- 2-1 metal handle
- 3-1 soft plastic overmold for grip
- 4-1 shock-absorbing comfort grip



7248040010



PIN PUNCH SET

Ø 2-3-4-5
6-8 MM



7266010001

COMFORT

Air-grip handle
Length 150 mm

RESISTANCE

Octagonal CRV steel
One-piece body

FILES CASE



BIMATERIAL FILES X4-200 MM

- 1 semi-soft hand dish
- 1 semi-soft round
- 1 semi-soft round
- 1 flat hand

0935208201

QUALITY

Long service life and powerful bite
thanks to forged and hardened
alloy steel


MOB, THE EUROPEAN LEADER IN INDUSTRIAL FILES



NEEDLE FILES X6-160 MM

- 1 flat file 1 flat pointed file
- 1 square file 1 round file
- 1 triangular file 1 half-round file

0983162001





INNOVATION **POWER BAR**

Flash this to see the video!



+ POWER

Oval body with strong cross-section in the direction of effort, does not flex. Wide base for perfect stability when lifting or pulling a nail.

+ PERFORMANCE

60% more gear ratio at the start thanks to its progressive curve - PATENTED

+ ACCESSIBILITY

Optimized accessibility: space for the hand when coming up against a vertical piece to lift
Wide, tapered ends for deep insertion everywhere

QUALITY

European quality one-piece forged steel, induction heating and heat treatment of working parts for professional quality and optimum strength



600 mm **7187600010**





900 mm **7187900010**



350 mm Lot x3
600 mm
900 mm **7187000301**

POWER MADE IN FRANCE MADE IN FRANCE IN OUR FACTORY IN CHAMBON FEUGEROLLES (42 LOIRE)




VICES


A range of **HIGH-QUALITY** vices, forged and hardened for maximum strength and intensive use




Flash this to see the video!



Anvil table hardened (50-56 HRC)



Measurement scale



Extra wide opening Milled and tempered jaws



Forged steel base



TRAINING SQUARE EXCLUSIVE : SQUARE 1/2"

For faster, easier tightening on large parts, with a ratchet or even a screwdriver + 1/2" adapter + precise with a torque wrench



MAGNAT PLUS

TUBE CLAMP VERSION

For optimum clamping of cylindrical parts
Optional turntable



Size. mm	Opening	Ref. vice	Ref. Turnable
Magnat 120 mm	125 mm	3010000120	3010010120
Magnat 140 mm	143 mm	3010000140	3010010140
Magnat plus 100 mm	125 mm	3020000100	3010010101
Magnat plus 120 mm	143 mm	3020000120	3010010121
Magnat plus 140 mm	188 mm	3020000140	3010010141



The MAGNAT PLUS 100 mm vice is used with the cockpit trolley and vice support. (see page 9)





SCREW EXTRACTOR SET/19 PIECES EXTRACTION AND TAPPING



9436019001

HDPE BOX-SIZE. 405X225X60 MM-FOAM INSERT

1 ratchet tool holder

1 removable head

5 conical drills

5 extractors: N°1: M4/ N°2: M6 to M8/ N°3: M8 to M10/

N°4: M12 to M14 / N°5: M14 to M20

7 taps: M4-M5-M6-M8-M10-M12-M16

Steps

1/Drilling with the conical drill bit

2/Unscrewing with the extractor



3/If the thread is damaged, reconstitute a thread using a tap



MAGNETIC SQUARES

Holding metal, steel, and iron parts
Precise positioning of flat
or round parts thanks to the U-shaped profile
Positions at 90° and 45°

0048000000




SWITCH ON/OFF

The switch allows the magnetization to be stopped: parts can be removed safely and effortlessly, and cleaning is made easier.



SWITCH

130x150x40 mm
With switch



IMPACT SCREWDRIVER

NOVELTY

MULTI-FUNCTIONALITY

Eases the loosening of seized, rusty, or stuck screws
Works in both directions: tightening and loosening (right/left)

QUALITY

Hardened CRV steel screwdriver for optimal strength
Compact dimensions: 160mm – Ø 31.5mm

HANDLING

Knurled body in 2 areas for better grip

COMPATIBILITY AND SAFETY

1/2» drive square for universal use
Socket with 5/16» hexagonal outlet
Phosphate finish like impact sockets
Internal ring to hold the screwdriver bit
Impact bits with 5/16» hexagonal drive

X 20 IMPACT 5/16"

- 8-10-12-14 mm
- ⊕ PZ2-PZ3
- ⊕ PH2-PH3
- ⊕ T25-T27-T30-T40-T45-T50
- H4-H5-H6-H8-10



CRV
Chrom-Vanadium



9462022001



RIVETING PLIERS SET

MOBEST

Single pliers

9350001001

Box set with pliers + 500 rivets

9350005001



per 100 :
4x8 / 4x10
4,8x8 / 4,8x10

per 50 :
4x8 / 4x10

HDPE case

Dimensions: 405 x 225 x 60 mm

Clamp with epoxy paint

Hardness of mouthpieces: 44 HRC

Hardness of internal mechanism clamps: 58 HRC

PERFORMANCE

Fast rivet setting
Flexible and easy to use
Good ejection of the mandrel after rivet setting

RESISTANCE

Fixed body made of cast aluminum alloy
and movable arm made of 3 mm thick sheet metal





MOBEST

PROTECH KNEELING MAT

COMFORT IN TOTAL FREEDOM



ENVIRONMENTAL PROTECTION

Clean manufacturing: 0% CFCs, 0% HFCs, 0% VOCs, 0% Azodicarbonamide
Guaranteed PVC-free composition
Does not release any harmful substances: REACH compliant
No allergy risk: 0% latex

HIGH QUALITY

Closed-cell foam, superior density
Non-slip vulcanized NBR rubber
Excellent resistance to petroleum-based liquids (gasoline, etc.) and oils
High temperature resistance

6423000001

TELESCOPIC MIRROR

ADJUSTABLE

- Telescopic inspection mirror 17 to 48 cm
- Mirror diameter: 30 mm



9602300001

MAGNETIC PLATE

Diameter 11 cm



9600110001

PRACTICAL

Diameter 110 mm
Stainless steel
Can be used at 180°
Rubber base
Non-marking

ADJUSTABLE STRAP SELF-WINDING

Faster

L 3.0 M X L 48 MM

Ready-to-use strap, already mounted on ratchet
Round metal double J hook
100% high-quality polyester webbing
Lashing capacity: LC 600 daN
Complies with NF EN 12195-2 standard



6299301001

PRACTICAL

Ideal for quick and easy fastening of objects or securing loads inside vehicles

ULTRA-FAST

Automatic strap retraction using the red button.
Quick tension adjustment using the ratchet

MEASUREMENTS

Ergonomic case: bimaterial,
anti-shock and anti-slip
Durable belt clip

roll'up



ENVIRONMENTAL PROTECTION

Humidity- and abrasion-resistant CLASS II:0.5 mm/m
Complies with European MID 2004/22/CE standard

Size. mm	Ref.
3 x 16	6277031401
5 x 25	6277051401
8 x 25	6277081401

MAGNETIC LEVEL

COMPACT : 23 CM




6273001001 - 17 €

PRECISION MAGNETIC

1 mm/m
Cast aluminum body for high impact and abrasion resistance
Machined base for greater precision
3 vials: 1 large, fixed horizontal vial for greater visibility, 1 fixed vertical vial and a 180° rotating vial.

DIGITAL CALIPERS / 150 MM



COMPLIANT WITH DIN 862

DIFFERENT READING MODES



External measurement



External measurement



Drop-off measurement



Internal Measurement



Depth measurement



Delivered in a plastic box with certificate of conformity

1/100TH MM

LCD display for easy measurement
mm/inch measurement
Inside-outside-depth measurement
Absolute and relative measurement
Supplied with 3V Lithium battery (CR2032)
Automatic sleep mode

5200150001

COMPACT MEASURE **NOVELTY**

6274030401

3m
x13 mm



PRECISION

Complies with European standard MID 2004/22/EC.
Accuracy class II: 0.5 mm/m.

COMFORTABLE

Ergonomic ABS case made of shock-resistant dual-material.
White tape and black graduations for improved readability of measured dimensions.

ULTRA-COMPACT

The dimensions of the case allow you to slip the measuring device easily into a pocket.


DURABLE

Carbon alloy steel strip
65Mn: strength and very high resilience.



MECHANIC'S SQUARE

Class II. Accuracy 1/25th. Screw-on cap. Complies with DIN 875.



Size. mm L x H mm	P mm	E mm	E1 mm	Ref.
200x130	29,5	7,3	29,5	5225200001
250x165	35	8	35	5225250001
300x180	9,3	9,2	40	5225300001



NOVELTY

UNIVERSAL INTERIOR/EXTERIOR EXTRACTORS

ROBUST


The body and claws are forged to provide optimal strength and prevent breakage.



Use
2 claws



Exterior or interior



MULTI-PURPOSE

This puller adapts to all situations thanks to its external or internal grip. Its ingenious design allows the 3-claw puller to be easily converted into a 2-claw version.

PRACTICAL


The claws can be quickly assembled and disassembled without any tools. Its self-tightening system guarantees simple and effective use.

SAFETY


The claws are held in place by a spring for reliable locking. The head is equipped with a fuse that breaks in the event of excessive torque, ensuring protection for both the tool and the user.

STORAGE


Comes with a 1680 denier fabric case, which is sturdy and practical for transport. The claws for external sockets are mounted on the extractor. The claws for internal sockets are stored in a cover.




12 ▶ 140 mm




20 ▶ 180 mm




60 ▶ 135 mm



60 ▶ 170 mm



145 mm max



190 mm max



DO NOT MODIFY THE PRODUCT
RESPECT THE MAXIMUM EXTRACTION FORCE – HEAD WITH FUSE
NEVER HEAT THE CLAWS
LUBRICATE THE SCREW
RESPECT THE INT/EXT CAPACITIES
RESPECT THE ALIGNMENT OF THE EXTRACTION AXIS
THE CLAWS MUST BE POSITIONED CORRECTLY

User manual and safety instructions available on the website
www.mobtools.com

SPARE PARTS

Model 3T
Claw EXT : 9390020001
Claw INT : 9390010001
Fusible head screw: 9390030001
Bracket: 9390040001

Model 4T
Claw EXT : 9391020001
Claw INT : 9391010001
Fusible head screw: 9391030001
Bracket: 9391040001

	Ref.
3 tons	9390002001
4 tons	9391002001

SET OF 2 INTEX EXTRACTORS / 2 PIECES

UNIVERSAL

Reversible claws,
Outside or inside grip
2 or 3 claws

ROBUST

Forged body and claws
Hardened screw tip

FAST

Self-locking claws
One-handed configuration change



2 OR 3 CLAWS



2/3 reversible claws for various configurations of mechanical extraction.



2 TONS-5 TONS

Delivered as a trolley module, designed to keep the force screw mounted

0770000101



LIGHT

SLIMLED

WIRELESS - POWERFUL LIGHTING



Flash this to watch the video!



ULTRA-FLAT (9 MM)



For accessibility in hard-to-reach places

POWERFUL LIGHTING (700 LUX)

Adjustable thanks to the dimmer switch
White light = COB LED

MULTI-POSITION

Lamp orientation thanks to the magnetic base.
Both hands remain free to work




9604060001



NOVELTY

MINI RECHARGEABLE LED FLASHLIGHT



PERFORMANCE

2 lighting zones.
 End lighting zone: 1 LED - 90 lumens.
 Side lighting zone: 15 LEDs - 2 intensities:
 100 or 250 lumens.
 Color temperature: 5500-6500 K.
 (neutral white light to daylight).
 Charging time: 2.5 hours.

RESISTANCE

Aluminum body
 IK07 certified impact resistance
 IPX2 certified splash resistance
 CE compliant - Directive (EU) 2014/30



COMFORT

Magnetic clip: allows you to work with both hands free.
 Continuous use time: 1.5 to 5 hours depending on use.
 Red light: charging - Green light: fully charged.
 Comes with a USB-C charging cable and user manual. Ultra-compact dimensions: 15.8 x 20 x 135 mm.
 Light weight: 45.4 g.

INDUCTION LIGHT



Flash this to see the video!



LOADING

- By induction the lamp is magnetized to the base by 2 magnets. No need to plug it in to recharge it
- The base is plugged in. It can be fixed by screw or magnetized to a metal surface.
- Charging time: approx. 4.5 hours

MAIN LIGHT

- 5W COB LED lamp
- Powerful, constant white light
- Adjustable light intensity with long-push dimmer switch
- Brightness at full power : 875 lux at 0.5 m
500 lumens
- Brightness at low power : 85 lux at 0.5 m
55 lumens

TOP LIGHT

- 1155 lux à 0.5 mètre
- 300 lumens

- Battery: 3.7V 2600mAh Li-ion
- Operating time
Main light: 3-10 hours
Top light: 5 hours



9604080001



VDE : All screwdrivers, wrenches and pliers are tested for insulation at 10,000v. The conformity of the products and the manufacturing process to the standard is certified by the VDE-GS control authority.

ABS TROLLEY CASE/128 PIECES



- 11 Combination wrenches : 8-9-10-11-12-13-14-16-17-19-22 mm
- 1 Adjustable wrenches 200 mm
- 6 VDE screwdrivers : 4 slotted : 3x75-4x100-5,5x125-6,5x150 + 2 ph : 1-2
- 5 Micro screwdrivers : 3 slotted : 2-2,5-3 mm + 2 phillips : ph00-ph0
- 1 Voltage tester
- 1 VDE water pump pliers
- 1 VDE universal pliers 180 mm
- 1 VDE cutting pliers 160 mm
- 1 VDE half-round jaws pliers 200 mm
- 1 VDE wire stripper 160 mm
- 1 Pincers 200 mm
- 1 Universal shears
- 1 Crimping pliers
- 1 Box of 30 connectors
- 9 Hex keys 1,5-2-2,5-3-4-5-6-8-10
- 1 Engineer's hammer 30 mm ash handle
- 1 Half-round file 200 mm
- 1 Measurement 3 m
- 1 Workshop ruler 15 cm
- 1 Centre punch 6 mm
- 3 Pin punches 4-5-6 mm
- 1 Cutter
- 1 Rectangular level 30 cm
- 1 Led Light

- Square 1/4 : 1 ratchet
- 13 sockets : 3,2 to 14 mm
- 1 Sliding handle
- 2 Extension bars 50 and 125 mm
- 1 Universal joint
- 1 Adaptor
- 1 Bit holder socket
- 1 Bit holder
- 30 Screwdriver bits

- Square 1/2 : 1 ratchet
- 17 Sockets : 10 à 32 mm
- 2 Extension bars 125 and 250 mm
- 1 Universal joint
- 1 Sliding handle
- 1 Adaptor

Size. 450 x 200 x 365 mm


953812800A



**SYSTEM
TROLLEY
INTEGRATED**

COMFORT
 Integrated trolley system
 Protection system
 ABS: lightweight and highly impact-resistant
 Bimaterial handle
 Aluminum frame

PRATICAL
 2 pre-fitted tool panels
 Foam in bottom of case
 Key lock





DUOBAG ELECTRICITY / 53 PIECES **DUOBAG**

**LARGE CAPACITY
DOUBLE COMPARTMENT**

Size. 450 x 200 x 365 mm

12 combination wrenches : 5,5-7-8-10-11-12-13-14-16-17-18-19 mm

6 insulated screwdrivers : 4 slotted : 3,5x75-4x100-5,5x125-6,5x150

2 Phillips : PH1-PH2

1 voltage tester

2 terminal screwdrivers

1 water pump pliers

1 VDE wire stripper 160 mm

1 VDE diagonal cutting pliers 160 mm

1 pince bec demi rond coudé de 200 mm VDE

1 cable cutter

9 hex wrenches 1,5-2-2,5-3-4-5-6-8-10

1 crimping pliers

30 connectors

1 electrician's scissors

1 electrician's knife

1 measurement 3 m

1 electrician's hammer 18 mm ash handle

1 cutter + 10 blades

1 universal key

9591053001



CD CUTTER STRIPPING PLIERS



9335661401

1.5 and 2.5 mm²

EXCELLENT SLEEVE ERGONOMICS SPECIAL ELECTRICIAN

- Strips 1.5 and 2.5 mm² cables.
- Practical for electrical work on single-family homes, where 95% of wiring is 1.5 and 2.5 mm².

QUALITY

- Made of chromium molybdenum, a suitable alloy with high mechanical properties, which ensures durability
- Hardening of cutting edges for longer service life.
- Cutting edge hardness: 58 HRC minimum.
- Easy cutting close to the axis over 6 mm.



Unit-tested. Complies with European EN60900 and VDE certified, the most demanding organization for insulated tools.

INSULATED SCREWDRIVERS 1000 V



POWERFUL

High torque thanks to 6 neoprene lobes.

FAST

Slim, round body for fast speed during recovery.



3,5X75



4X100



PH1



5,5X125



6,5X150



PH2

4 slotted + 2 Phillips **x6**

9129500101



PLASTIC COLLAR CLAMP

NOVELTY



PERFORMANCE

This model is perfectly suited for intensive and repetitive use. For cable ties between 3,6 and 10,6 mm wide. The blade is made of carbon steel and machined for optimized cutting quality.

COMFORT

The handles are coated with plastic sheaths for greater comfort during prolonged use. The gap between the handles increases the stroke and provides high leverage, saving time.

USES


Installation, maintenance, production, repair.



Allows tightening and cutting of plastic cable ties during electrical wiring operations (when power is off) in two separate actions.




9375001001



TIGHTEN

CUT

ELECTRICIAN SCISSORS



Integrated thread-cutting function



6217000001



QUALITY

Blades in stainless steel 40 mm

SECURITY

Sheathing up to the joint

COMFORT

Bi-material handles
Integrated thread-cutting function



ELECTRICIAN KNIFE

Size. Opened : L175 mm- Closed L100 mm



6218020001

2 TEMPERED STAINLESS STEEL BLADES

An 8 cm straight wooden blade and a curved 7 cm serpette-type blade specially designed for working cables and sheaths



QUALITY

Hardened stainless steel blades
Assembled with brass rivets
High-impact wood

COMFORT

Wire-cutting function Stripping function



ELECTRIC CABLE CUTTERS

For stripping and cutting copper and aluminum cables. Made of forged steel, oil-hardened. Adjustable joint with screw.

INSULATED 1000V 210 MM
Ø 25 MM-70 MM²



9371710401



NOVELTY

MULTIFUNCTION BI-MATERIAL ELECTRICIAN'S SCISSORS

**MODEL
PATENTED**



Sliding button:
keeps closed
and opens
quickly with your thumb



Hardened stainless steel
blade stability



Scissors with attach-
ment eyelet for a fall
arrest system



MULTI-PURPOSE

Electric cable cutter, Wire
cutter, Stripping, Crimping of
standard terminals



Wire cutter




Stripping



Cable cutter



Crimping



CAPACITIES

Stripping capacities: 0.3 - 0.5 - 1 - 1.5 - 2.5 - 4 - 6mm². AWG 22-10.
Cutting capacity for electrical cable: 80-100mm².
Crimping capacity: 2.5 and 6 mm².
Wire cutting function: up to 2.5 mm².

ROBUSTNESS

Hardened stainless steel blade: 53+/-2 HRC.
Reinforced nylon sheaths for improved impact resistance.

COMFORT

Design allows for high-capacity cutting with minimal effort.
Serrated blade: better grip on the item being cut.
Double notch: easier cutting of electrical cables.
Ergonomic handle shape for ideal grip and reduced risk of musculoskeletal disorders.

6214002001

Comes with protective sheath
and belt loop



NOVELTY

BI-MATERIAL ELECTRICIAN'S KNIFE WITH 40 MM BLADE

**HARDENED STAINLESS
STEEL BLADE**



▲ 1000 V AC
IEC 60900



6210052001



ERGONOMICS



Bi-material handle for a comfortable grip
Amplifies effort, reducing fatigue

SECURITY

Non-slip grip to reduce risks
Protective cap for the blade
Insulated knife up to 1000 V

ROBUSTNESS

Ultra-resistant 420 stainless steel blade
Hardness of 50/54 HRC for efficient and durable
cutting





RACK CLAMP FOR CRIMPING CABLE TERMINALS

NOVELTY

For crimping cable lugs.

9353002001



COMFORT

The side wheel allows the crimping pressure to be adjusted according to the size of the tip: 2 positions.

The handles are equipped with bi-material grips: more comfortable during repetitive operations.

The grips are shaped for use with both small and large hands.

Compact pliers: improves handling and facilitates access.

This model is perfectly suited for intensive and repetitive use.

SECURITY

The mechanism allows for optimal transmission of force, thereby reducing the risk of MSDs.

Automatic opening when crimping is performed correctly.

The crimping pressure is factory calibrated.

Constant pressure during the crimping operation, which prevents damage to the cable end.

PERFORMANCE

Crimping capacities: 0.08-10 mm² and 16 mm². AWG: 28-8 and 6.



Crimping type: 6-point hexagonal. Improved crimping hold between the tip and the electrical wire.

Self-adjusting die: precision and speed.

Hardened steel body: 50/54 HRC

Ultra-resistant crimping blade made of 420 stainless steel.

0,08 to 16 mm²



CRIMPING PLIERS

MULTIFUNCTIONAL

Crimping of pre-insulated terminals 1.5-2.5-6 mm²

Crimping for bare terminals 1.5-2.5-6 mm²

Stripping from 0.75 to 6 mm²

Wire cutter

Screw cutter from M2.5 to M5



HIGH RESISTANCE


9330220001

Crimping



MOBEST

Screw cutter



NOVELTY

AUTOMATIC 90° STRIPPING PLIERS



+ Jaw pressure adjustment system

+ Reinforced plastic body to withstand accidental impacts

+

CAPACITIES

Stripping capacity: 0.08 - 16 mm² AWG 28-5
Wire cutter capacity: Ø6 mm
Stripping length adjustment: 4 to 19 mm

COMFORT

Ergonomic dual-material handles for a better grip
90° angled shape

PERFORMANCE

Ribbed jaws with a rounded shape: better grip
Knives with a rounded shape

RESISTANCE

Reinforced plastic body to withstand accidental impacts
Hardened steel jaws and blades



9337002001





AUTOMATIC SIDE STRIPPING PLIERS

NOVELTY



COMFORT

The handles are covered with plastic sheaths with ridges for a good grip

PERFORMANCE

Thanks to the precision machining of the combs, the conductor is not damaged.

RESISTANCE

Steel body to withstand accidental impacts.
Hardened steel combs machined with very high precision

Return spring enabling repeated stripping operations without effort.

Stripping capacities :
0,5-0,75 /
1 / 1,5 /
2,5 / 4 /
6 mm².

9338002001

STRAIGHT AUTOMATIC STRIPPING PLIERS

NOVELTY



AWG 28 - 5
0,08 - 16 mm²

Jaw pressure adjustment system

CAPACITIES

Stripping capacity: 0.08 - 16 mm²
AWG 28-5
Wire cutter capacity: Ø6 mm
Stripping length adjustment: 3 to 18 mm

COMFORT

Ergonomic bi-material handles for a better grip

PERFORMANCE

Ribbed jaws with a rounded shape: better grip
Rounded blades

RESISTANCE

Reinforced plastic body to withstand accidental impacts
Hardened steel jaws and blades

9336002001



NOVELTY

MULTI-PURPOSE CRIMPING TOOL SET



MULTI-APPLICATION

Allows crimping of pre-insulated terminals (eyelet, flat, and reinforced), tubular terminals, open barrel terminals, and cable lugs.



The dies are easily interchangeable thanks to the ball system.

COMFORT AND PRECISION

Bi-material handles for greater comfort during prolonged use.
Handle length: optimal transmission of force.
Automatic opening when crimping is performed correctly.
Crimping pressure is factory calibrated. Adjustable pressure.
Disengagement possible during crimping.

PERFORMANCE

Hardened steel body and dies.
The clamp is perfectly suited for intensive use.
The lower sleeve is equipped with a hole to allow the passage of a safety lanyard for working at height.



9354053001



Pre-insulated terminals

AWG 22-18 / 0,5-1,0 mm² ●
AWG 16-14 / 1,5-2,5 mm² ●
AWG 12-10 / 4-6 mm² ●



Tubular terminals

AWG 20-16 / 0,5-1,5 mm²
AWG 16-14 / 1,5-2,5 mm²
AWG 12-10 / 4-6 mm²
AWG 8 / 10 mm²



Cable lugs

AWG 20 / 0,5 mm²
AWG 18 / 0,75 mm²
AWG 17 / 1,0 mm²
AWG 16 / 1,5 mm²
AWG 14 / 2,5 mm²
AWG 12 / 4 mm²



Open barrel terminals

AWG 20-18 / 0,5-1,0 mm²
AWG 16-14 / 1,5-2,5 mm²
AWG 12-10 / 4-6 mm²



Cable lugs

AWG 10 / 6 mm²
AWG 8 / 10 mm²
AWG 6 / 16 mm²



STILLSON PIPE WRENCHES

HIGH-CARBON STEEL



ROBUST
 Forged and hardened jaws (56 HRC).
 Fully forged body withstands extreme conditions
 Single-spring system, possible effort recovery with one hand

Dim. inches	Dim. mm	Ref.
1"	250	9021250001
1 1/2"	350	9021350001
2"	450	9021450001
2 1/2"	600	9021600001
3 1/2"	900	9021900001



PIPE CUTTER

MINIMUM SPACE REQUIREMENT

Ideal for small spaces



FAST WHEEL ADVANCE BY TELESCOPIC EFFECT

4 grooved rollers for flush cutting
 Comfortable knob
 Retractable rotary deburrer



PVC RATCHET PIPE CUTTER

Fast, effortless, burr-free cutting.
 Opening by spreading handles apart



Model	Capacity	Ref.
Mini pipe cutter	3-28 mm	6496003001
Telescopic pipe cutter COPPER	3-42 mm	6493034201
Telescopic stainless steel tube cutter	3-42 mm	6494034201
PVC pipe cutter	3-42 mm	6495034201

COMPACT' ADJUSTABLE WRENCHES



NEW DIMENSION
10"

TAPERED JAWS



OPENING EXTRA-WIDE CAPACITY



PRATICAL : 3 IN 1
 Replaces 3 standard adjustable wrenches :
 . 6" capacity equivalent to a standard 6"+8"+10" wrench
 . 8" capacity equivalent to a standard 8"+10"+12" wrench

PERFORMANCE
 Jaw opening 60% to 79% greater than a standard wrench

ACCESSIBILITY
 50% more tapered jaws for better access in tight spaces 60% lighter than a standard key-30% shorter than a standard key

Dim	Lenght	Capacity	Ref.
6"	165	34 mm	9043151401
8"	210	38,5 mm	9043201401
10"	250	50 mm	9043251401

NOVELTY 2025



PLUMBING / HEATING / AIR CONDITIONING MAINTENANCE

DUOBAG PLUMBING / 74 PIECES

















Dim. : 450x200x365 mm



9591074001



- Double compartment
- Side reinforcements
- Comfortable handles

-  x5 Articulated ratchet combination wrenches : 8-10-13-17-19 mm
-  x1 Stacking pliers
-  x5 Bimaterial screwdrivers 5.5x100-6.5x150-8x150-pz1-pz2
-  x1 VDE screwdriver: slotted 3.5x75
-  x1 Short screwdriver pz1
-  x9 Hex keys 1,5-2-2,5-3-4-5-6-8-10 mn
-  x1 Level 40 cm
-  x1 Cutter
-  x1 Measurement 3 m
-  x1 Metal saw + 10 blades
-  x3 Pipe cutter : copper, pvc et mini
-  x1 Large-capacity adjustable wrench
-  x1 Stepped wrench
-  x1 Bit holder handle
-  x32 30 Screwdrivers bits + magnetic bit holder
-  x1 Cutting pliers





LOAD LIFTER

INNOVATION



Heigh
3,50 M



PATENTED
Safety system
with 2 cables

MANUAL ELEVATOR

- Maximum working load: 100 kg
- Maximum installation height (floor/platform): 3.50 m
- Loading height: 140 mm
- Platform made of 9 mm multi-ply wood: 795 x 375 mm, mixed FSC label.
- 2 straps supplied with unit
- Safety system consisting of 2 cables: 1 working cable and 1 anti-fall safety cable.
- Braking system integrated into the winch attached to guide handle.
- Good crank clearance for better control
- Equipped with 3 Ø 125 mm braked wheels
- Wheelbase: 1.05 x 1.05 x 1 m
- Unit weight: 29 kg

2 STRAPS SUPPLIED WITH UNIT



Made in France



IDEAL FOR AIR-CONDITIONING



6550065001





MOBEST

FOLDING WORK BENCH



TRAY

- High-quality plywood top, which ensures high stability dimensional top
- Wood type: high-density beech, only 25 mm thick. PEFC-certified wood
- Steel angle, flush with the top, for easy vice attachment

STABILITY

- Extremely robust construction 35 mm square steel tubes, with feet supported on the frame on the frame, for resistance to heavy weights
- Flared feet and ground clearance of tabletop size for good stability
- Weight: 26 kg for stability
- Rubber glides
- Feet secured by clip pins, for easy transport



FEATURES

- Dimensions: 108 x 64 cm
- Height: 84 cm
- Red epoxy paint finish
- Folded dimensions: 108 x 64 x 13 cm
- 35 mm square tubes


961010001



Feet held in place by clip pin.



Quality tray



Folded dimensions: 108 x 64 x 13 cm.

WHEEL KIT + HANDLE FOR FOLDING WORK BENCH



9610101001



MONDELIN FRENCH MANUFACTURER


MADE IN
FRANCE



A French manufacturer of hand tools and equipment since 1952, Mondelin is located in Ambierle, Loire (42). This production site is in full expansion, and numerous investments are made each year to deploy and renew its machine park, in order to remain high-performance, innovative and efficient.

The factory is divided into three strategic fields:

metal, wood and plastic processing



ROBUST, DURABLE TOOLS

To ensure that its tools are constantly evolving to meet users' real needs, Mondelin has a Research & Development team that visits job sites every day to see, listen and understand new requirements, and to test and approve each new tool before it goes into production.

Behind every innovation is a user

To meet these needs, quality, practicality and sturdiness come first. Every tool is designed down to the smallest detail, for the comfort and performance of those who use it.



OUR COMMITMENT TO THE ENVIRONMENT :

- French manufacturing to limit transport and develop local employment
- Quality tools designed for maximum service life
- Repairable equipment with many spare parts available
- We are PEFC and FSCTM certified for sustainable and responsible forest management.

Only products identified as such in this catalog are PEFC and FSCTM certified.

- Here are a few examples of responsible manufacturing:
 - 72% of plastic raw material purchases come from recycled materials: MORE 2024 label obtained
 - Powder paints, VOC-free (Volatile Organic Compounds)
 - The plant has a biomass boiler, fuelled by offcuts from our wood workshop

REPLACE PLASTIC PACKAGING WITH CARDBOARD

Listening to our customers and sensitive to our environment, we decided to adapt and gradually replace the plastic packaging of our tools and equipment with recyclable cardboard packaging. We have therefore invested in a complete cardboard cutting and folding line located directly in our plant.

Result:

- A packaging machine that adapts to the product format for better protection and easier storage and transport.
- 100% recycled cardboard blanks and 100% recyclable packaging
- Integrated know-how with less transport, greater responsiveness and an improved local economy



Flash this code to discover Mondelin's DNA as told by its teams

FOLLOW OUR NEWS :



www.mondelin.com





NEW

MODUL'AIR

**THE PLATFORM THAT
ADAPTS TO YOUR NEEDS**



AN INNOVATIVE CONCEPT

FOR WORKING AT HEIGHTS SAFE AND SECURE

**MODUL'AIR PLATFORMS CAN BE COMBINED TO SUIT ANY ENVIRONMENT.
THEY ENABLE YOU TO WORK SAFELY AT HEIGHT OVER LARGE SURFACES.**




(in T)



(in L)



(in I)





Flash this to see the MODUL'AIR in action!



2 EXISTING UNITS

- MAIN MODULE
- x 1 plateforme
- x 1 access step
- x 1 gate
- x 7 guardrails
- x 1 transport cart
- Total weight : 84 kg

Ref: 500800



COMPLEMENTARY MODULE

- x 1 plateforme
- x 6 guardrails
- x 2 connecting posts
- x 2 connecting keys
- x 1 transport cart
- Total weight : 71 kg

Ref: 500810



> Each element is available separately to configure our customized platform or as a spare part.

> Complies with standard NF 93-520

> 190x60 cm platform in non-slip plywood



MODULAR

- Height adjustable from 68 cm to 1 m
- Maximum working height of 3 m



- Platforms are easily linked together using connecting posts.

- The access steps and wicket door can be placed in any position.



MOVABLE



- 4 x 360° wheels with brakes and quick-set stabilizers.



- Feet can be angled inwards to get closer to the task in hand.

EASY TO TRANSPORT

- Easy to transport thanks to a cart that moves all the elements in 1 go. Everything fits through a door.
- All components are delivered directly mounted on the cart and secured with a strap (pallet L0.80 x W0.80 x H2.20m).





SAFETY STEPLADDERS




A PIRL-STANDARD STEPLADDER, PRACTICAL AND STURDY

PIRL = Light Individual Rolling Platform

Developed in conjunction with the labor inspectorate and Carsat Rhône-Alpes



SECURITY ASSURED



Hinged guardrails
Much more convenient than a strap or chain



Grating steps
Deep, slip-resistant and easy to clean. Robust shape.



OPTIMAL MOBILITY



Spring-loaded wheels
Move without lifting. Easy to move, simply by foot.



Inner wheels
To get as close as possible to the wall and the task at hand.

PRATICAL



Tool tray + hook
to keep tools and coatings close at hand. Heavy-duty folded aluminum tray.



Easy to transport
thanks to a handle balanced on an upright.



Raised rear tube
Handy in the event of an obstacle [e.g. toilet...]. (Except on 50cm model).



Flash this to see the Gardia in action !

GUARANTEES MONDELIN



Compliant with decree 2004-924

> FSC-certified non-slip plywood top

> 10-year guarantee




NEW

> NEW DIMENSION

- New height of 140 cm, i.e. 6 steps
- Maximum working height of 3.40m
- With quick-deploy stabilizers

> AUTOMATIC GUARDRAILS



- All sizes are available with a self-closing gate:
- > The PIRL remains identical, only the railings change.
- > Spring-loaded railings automatically return to the closed position.



A COMPLETE RANGE



50 cm
1 step
+ platform



70 cm
2 steps
+ platform



90 cm
3 steps
+ platform



110 cm
4 steps + platform
With stabilizers



140 cm
5 steps + platform
With stabilizers

	50 CM	70 CM	90 CM	110 CM	140 CM
Number of steps including the platform	2	3	4	5	6
Max. work height cm	250	270	290	310	340
Wheelbase - cm	66 x 88	69 x 107	81 x 126	132 x 145 stabilizers deployed	165x195 stabilizers deployed
⚖ kg	15	16,8	17,5	21	23
Size. folded -cm	66 x 167 x 26	69 x 193 x 26	81 x 219 x 26	86 x 245 x 26	275 x 97 x 26
Ref.	202100	202110	202120	202130	202140
Ref. with automatic guardrails	202150	202160	202170	202180	202190

OPTIONAL :



Crane ring
2 rings to screw on (screws included)
Ref : 202103



Bucket holder
To keep your paint bucket close (comes with a strap to secure the buckets)
Ref : 202102



PIRL PLATFORM

INDIVIDUAL PLATFORM



QUICK INSTALLATION IN 1 MINUTE



- Only 3 pieces to assemble (platform + 2 guardrails)
- No need to deploy stabilizers, they are built into the legs

SECURITY ASSURED

- Locking feet and railings
- Deep, comfortable steel grating steps
- 4 fixed stabilizer feet
- Anti-fall baseboards
- Wicket door with mechanical lock

OPTIMAL WORKING COMFORT

- 93 x 40 cm wide platform in non-slip plywood
- 7 working heights from 2.60m to 2.90m
- Overall width of 69 cm, allowing passage through a doorway without folding up the platform
- Easy to transport, the guardrails are placed on the folded platform.



Flash this to see the Ninja in action !

7 WORKING HEIGHTS



260 / 265 / 270 / 275 / 280 / 285 / 290 cm

EASY TO TRANSPORT



One-handed transport



93x40 cm platform in non-slip plywood



Guardrails and locking feet for optimum safety

MONDELIN GARANTEES



Complies with the PIRL standard and the safety requirements of decree 96 333 of 10/04/1996

- In painted steel
- Registered design
- FSC-certified non-slip plywood top
- 5-year warranty



Ref : 500610

29,4kg



STEP-TOOLS MULTI

**1 TOOL =
4 USES**



Flash this
to see the
MULTI in action!



- FSC-certified
non-slip
plywood top



TRESTLE



CUTTING SUPPORT



**STEPS TOOLS WITH
SHELF**



WORK PLAN

- Platform height: 47 cm
- Folded size: 1040 x 705 x 170 cm
- Clip&Go system for quick adjustment of swivel arm



10kg

COMPLIANT TO
STANDARD
**EN
131**

Ref : 201830



WORKBENCH AND TRESTLES

WORKBENCH **Thales**



ULTRA-COMPACT 5 cm



ULTRA-ROBUST

- Robust tubular steel construction with robotized welds
- 60x80 cm thick non-slip tray

COMPACT & ERGONOMIC

- Ultra-compact when folded, 5 cm thick
- 3 adjustable heights: 75, 80 and 85 cm

PRATICAL

- Space for screws and screwdrivers
- Cutting zones for threaded rods and small tubes
- Integrated 50 cm stainless steel ruler
- 2 spaces for clamps

Flash this to see the THALES en action!



12kg

Ref : 500700



TRESTLES



FOLDED TRESTLE

- Wooden beam to protect the workpiece
- Feet lock in open or closed position



300 kg per pair

Ref : 113000



ADJUSTABLE TRESTLE

- Wooden beam to protect the installed part
- Spring-loaded pins for secure locking
- Adjustable from 80 to 130 cm



1000 kg per pair

Ref : 113010





NEW

FLASH



THE TELESCOPIC LAMP ON TRIPOD WITH 2 SWIVEL HEADS



ULTRA-COMPACT

- Ultra-compact when closed, with handle for easy transport
- When closed, lamps are perfectly protected for longer life
- Deploys very quickly in just 5 seconds
- With telescopic arm that extends up to 2 m
- Folded size: 120 x 120 x 890 mm



MODULABLE

- Heads can be rotated independently through 360°.
- 2 types of light: warm or cool



PERFORMANCE

- Operates on 4000mAh Li-ion battery - 7.3V
- Charger: 8.4V 3A
- 3 wattages: 500 / 1500 / 5000 lumens with corresponding operating times of 5 h / 2.5 h / 1 h
- Operates at medium power when recharged from mains
- IP54 protection: splashproof and dustproof
- Complete charging time: 6 h
- Robust aluminium design



Ref : 865070






TROLLEYS & HAND TRUCKS

AXIS HAND TRUCK



REINFORCED AXIS UNBEATABLE



REINFORCED
AXIS 4mm thick

- >> Puncture-proof wheels Ø 250 mm
- >> Fixed shovel + folding shovel
- >> Closed multi-position handles
- >> Horizontal loading possible

Ref : 601020

Spare wheel x1
Ref : 601028



Flash this to see the video !



WORKING LOAD



CE compliant,
Directive 2006/42/CE



TROLLEYS *Swift*

- 4 Ø 75 mm and 360° wheels with brakes
- FSC-certified, 18 mm thick, non-slip top with rounded edges and corners



- Folding handle that tucks away underneath; does not protrude when folded
- 7.8 kg
- Tray measuring 80 x 50 cm

Ref : 114370



Flash this to see the SWIFT in action !

HANDLING TROLLEY

- Lightweight 3.3 kg
- 57.5 x 29 cm tray

Ref : 114300



- Lightweight 3.2 kg
- 40 x 40 cm tray

Ref : 114320





www.mobtools.com



► **Products**

Find all catalog references and explosion-proof range.

► **Catalogs**

Download catalogs according your needs and your business.

► **News**

Events, tutorials, innovations and user feedback...

► **Where to buy**

Access a detailed map to find your nearest seller !

► **MOBlist**

Create and transfer a tool list and transfer it.

► **Distributors area**

Place all your orders directly on the website.



CONTACT US !



FOLLOW OUR NEWS



NOVALIA SAS

2, rue de Bergognon
42500 Le Chambon-Feuergrolles
France

+ 33 (0) 4 77 40 49 49
novalia@novalia.pro

Your distributor :



Ref.: 0000061501

Phillips®, Pozitiv®, Torx®, Tamper Torx®, Torq Set®, Tri-wing, Circlip® are trademarks of companies other than NOVALIA, and are the property of their owners. Offer valid until 12/31/2026 while stocks last. Document, photos and texts non-contractual. Do not dispose of in public. Adobe stock photos. NOVALIA reserves the right to modify any information contained in this document without prior notice.